

Priority	Indicator	Target Met/Not Met	Direction of Travel
1. Supporting people to make healthy lifestyle choices	2.12 Excess weight in adults	Met	Better
	2.13i % of adults physically active	Met	Better
	2.06i % 4-5 year olds classified as overweight/obese	Met	No change
	2.06ii % 10-11 year olds classified as overweight/obese	Not Met	No change
	2.03 Smoking status at the time of delivery	Met	Better
	2.14 Smoking prevalence - all adults - current smokers	Not Met	Better
	2.14 Smoking prevalence - routine and manual - current smokers	Not Met	No change
	2.22iii Cumulative % of those aged 40-74 offered a healthcheck 2013/14 - 16/17	Not Met	No change
	2.22 iv Cumulative % of those offered a healthcheck who received a healthcheck 2013/14 - 16/17	Not Met	No change
	2.22 v Cumulative % of those aged 40-74 who received a healthcheck 2013/14 - 16/17	Not Met	No change
2. Reducing loneliness and social isolation	1.18i/11 % of adult social care users with as much social contact as they would like	Not Met	Better
	1.18ii/11 % of adult carers with as much social contact as they would like	Not Met	No change
	Local LSI data placeholder	NA	NA
3.Reducing the amount of alcohol people drink to safer levels	2.15iii Successful treatment of alcohol treatment	Met	Better
	2.18 Admission episodes for alcohol related conditions (DSR per 100,000)	Met	Worse
4.Promoting positive mental health and wellbeing in children and young people			
5.Living well with dementia	4.16/2.6i Estimated diagnosis rate for people with dementia	Met	No change
	No. Dementia Friends (Local Indicator)		
	Placeholder - ASCOF measure of post-diagnosis care	NA	NA
	ASCOF Carers survey metric TBA		
6.Increasing take up of breast and bowel screening and prevention services	2.20iii Cancer screening coverage - bowel cancer	Met	No change
	2.20i Cancer screening coverage - breast cancer	Met	No change
7.Reducing the number of people with tuberculosis	3.05ii Incidence of TB (three year average)	Met	Better
8. Reducing deaths by suicide	4.10 Age-standardised mortality rate from suicide and injury of undetermined intent	Not met	Better

## PRIORITY 1: Supporting people to make healthy lifestyle choices

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
<a href="#">2.12 Excess weight in adults</a>	Public Health Outcomes Framework	Active People Survey	Annual	Low	2015-16	55.3	63.4	Met	Better	61.3	61.7
<a href="#">2.13i % of adults physically active</a>	Public Health Outcomes Framework	Active Lives Survey	Annual	High	2015-16	64.0	64	Met	Better	65.1	64.9
<a href="#">2.06i % 4-5 year olds classified as overweight/obese</a>	Public Health Outcomes Framework	National Child Measurement Programme	Annual	Low	2015-16	22	22	Met	No change	22.1	Not available
<a href="#">2.06ii % 10-11 year olds classified as overweight/obese</a>	Public Health Outcomes Framework	National Child Measurement Programme	Annual	Low	2015-16	37.4	35.60%	Not Met	No change	34.2	Not available
<a href="#">2.03 Smoking status at the time of delivery</a>	Public Health Outcomes Framework	Smoking Status At Time of Delivery (SSATOD) HSCIC	Annual	Low	2016-17	6.8	8.0	Met	Better	10.7	12.0
<a href="#">2.14 Smoking prevalence all adults</a>	Public Health Outcomes Framework	Annual Population Survey	Annual	Low	2016	15.8	sw to confirm	Not Met	Better	15.5	13.8
<a href="#">2.14 Smoking prevalence - routine and manual - current smokers</a>	Public Health Outcomes Framework	Annual Population Survey	Annual	Low	2016	30.4	sw to confirm	Not Met	No change	26.5	26.0
<a href="#">2.22iii Cumulative % of those aged 40-74 offered a healthcheck 2013/14 - 16/17</a>	Public Health Outcomes Framework	<a href="http://www.healthcheck.nhs.uk">www.healthcheck.nhs.uk</a>	Annual	High	2013/14 - 2016	65.2	100%	Not Met	No change	74.1	75.7
<a href="#">2.22 iv Cumulative % of those offered a healthcheck who received a healthcheck 2013/14 - 16/17</a>	Public Health Outcomes Framework	<a href="http://www.healthcheck.nhs.uk">www.healthcheck.nhs.uk</a>	Annual	High	2013/14 - 2016	47.0	50%	Not Met	No change	48.9	50.7
<a href="#">2.22 v Cumulative % of those aged 40-74 who received a healthcheck 2013/14 - 16/17</a>	Public Health Outcomes Framework	<a href="http://www.healthcheck.nhs.uk">www.healthcheck.nhs.uk</a>	Annual	High	2013/14 - 2016	30.6	50%	Not Met	No change	36.2	38.4

[Back to HWB Dashboard](#)

## PRIORITY 2: Supporting people to make healthy lifestyle choices

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
<a href="#">1.18i/11 % of adult social care users with as much social contact as they would like</a>	Public Health Outcomes Framework/Adult Social Care Outcomes Framework	Adult Social Care Survey - England	Annual	High	2016-17	45.2	45.4	Not Met	Better	45.4	NA
<a href="#">1.18ii/11 % of adult carers with as much social contact as they would like</a>	Public Health Outcomes Framework/Adult Social Care Outcomes Framework	Carers Survey	Bi-Annual	High	2016-17	36.2	38.5	Not Met	No change	35.5	32.4
<i>Local LSI data placeholder</i>	NA	TBC	Annual							NA	NA

[Back to HWB Dashboard](#)

### PRIORITY 3: Reducing the amount of alcohol people drink to safer levels

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
<a href="#">2.15iii Successful treatment of alcohol treatment</a>	Public Health Outcomes Framework	National Drug Treatment Monitoring System	Quarterly	High	2016	44.7%	38.3%	Met	Better	38.7%	38.2%
<a href="#">2.18 Admission episodes for alcohol related conditions (DSR per 100,000)</a>	Public Health Outcomes Framework	Local Alcohol Profiles for England (based on	Quarterly	Low	2015/16	599	599	Met	Worse	647.0	612.0

[Back to HWB Dashboard](#)

## Priority 4: Promoting positive mental health and wellbeing in children and young people

Indicator Title	Framework	Source and frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
-----------------	-----------	------------------------------	---------------------------	------------------------------	-------------------------	--------	-------------	-----	-----------------	---------------------------------

[Back to HWB Dashboard](#)

## Priority 5: Living well with dementia

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
<a href="#">4.16/2.6i Estimated diagnosis rate for people with dementia</a>	Public Health Outcomes Framework/NHS Outcomes Framework	NHS Digital	Annual	High	2017	68.4	67.7	Met	No change	67.9	Not available
<a href="#">No. of Dementia friends</a>	NA (Local only)	Local Report	<i>As required</i>	High	Reported locally					Not available	Not available

PLACEHOLDER - Post diagnosis care

TBC - ASCOF Carers survey indicator

[Back to HWB Dashboard](#)

## Priority 6: Increasing take up of breast and bowel screening and prevention services

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
<a href="#">2.20iii Cancer screening coverage - bowel cancer</a>	Public Health Outcomes Framework	Health and Social Care Inform	Annual	High	2016	55.8	52%	Met	No change	57.9	59.5
<a href="#">2.20i Cancer screening coverage - breast cancer</a>	Public Health Outcomes Framework	Health and Social Care Information Centre (HSCIC)	Annual	High	2016	73.4	70%	Met	No change	75.8	77.8

[Back to HWB Dashboard](#)

## Priority 7: Reducing the number of people with tuberculosis

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
<a href="#">3.05ii Incidence of TB (three year average)</a>	Public Health Outcomes Framework	Public Health	Annual	Low	2014-2016	26.4	30	Met	Better	10.9	7.1

[Back to HWB Dashboard](#)



## Priority 8: Reducing deaths by suicide

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
<a href="#">4.10 Age-standardised mortality rate from suicide and injury of undetermined intent</a>	Public Health Outcomes Framework	Health England (based on	Annual	Low	2014-16	9.9	8.25	Not met	Better	9.9	10.2

[Back to HWB Dashboard](#)

Indicator number	2.12
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Excess weight in adults


[Back to Priority 1](#)  
[Back to HWB Dashboard](#)

Data source	Active Lives Survey (previously Active People Survey) Sport England
	* Note change in methodology in 2015-16

**Denominator**  
 Number of adults with valid height and weight recorded. Active lives Survey. Historical (before 2015-16) Number of adults with valid height and weight recorded. Data are from APS year 1, quarter 2 to APS year 3, quarter 1

**Numerator**  
 Number of adults with a BMI classified as overweight (including obese), calculated from the adjusted height and weight variables. Active Lives Survey. Previously (before 2015-16) from Active People survey. Adults are defined as overweight (including obese) if their body mass index (BMI) is greater than or equal to 25kg/m2.

Period	Reading	Fourth less deprived (IMD2015)	England
2012-14	61		64.6
2013-15	63.4	65.4	64.8
2015-16	55.3	61.7	61.3



<b>Indicator number</b>	2.13
<b>Outcomes Framework</b>	Public Health Outcomes Framework
<b>Indicator full name</b>	% Physically Active Adults


[Back to Priority 1](#)  
[Back to HWB Dashboard](#)

<b>Data source</b>	Until 2015 - Active People Survey, Sport England 2015-16 onwards - Active Lives, Sport England
	* Note change in methodology in 2015-16

**Denominator** Weighted number of respondents aged 19 and older with valid responses to questions on physical activity

**Numerator** Weighted number of respondents aged 19 and over, with valid responses to questions on physical activity, doing at least 150 MIE minutes physical activity per week in bouts of 10 minutes or more in the previous 28 days.

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2012	59.7	55.3	64.2		56
2013	56.6	52.3	60.8		56
2014	54.7	50.4	58.9		57
2015	59.3	55	63.6	58.5	57
2015-16*	64	60.9	66.9	65.1	64.9



Indicator number	2.06i
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Child excess weight in 4-5 year olds


[Back to Priority 1](#)  
[Back to HWB Dashboard](#)

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2007/08	20.6	18.5	22.9	20.7	22.6
2008/09	22.5	20.5	24.6	21.6	22.8
2009/10	25.7	23.7	27.9	22.8	23.1
2010/11	25.7	23.7	27.8	22.2	22.6
2011/12	24.1	22.1	26.1	22	22.6
2012/13	21.8	20	23.9	21.6	22.2
2013/14	23.3	21.3	25.5	21.4	22.5
2014/15	22.6	20.9	24.5	21.3	21.9
2015/16	21.8	20.1	23.6	-	22

**Data source** National Child Measurement Programme

**Denominator** Number of children in Reception (aged 4-5 years) measured in the National Child Measurement Programme (NCMP) attending participating state maintained schools in England.

**Numerator** Number of children in Reception (aged 4-5 years) classified as overweight or obese in the academic year. Children are classified as overweight (including obese) if their BMI is on or above the 85th centile of the British 1990 growth reference (UK90) according to age and sex.



Indicator number	2.06i
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Child excess weight in 10-11 year olds


[Back to Priority 1](#)  
[Back to HWB Dashboard](#)

**Data source** National Child Measurement Programme

**Denominator** Number of children in Year 6 (aged 10-11 years) measured in the National Child Measurement Programme (NCMP) attending participating state maintained schools in England.

**Numerator** Number of children in Year 6 (aged 10-11 years) classified as overweight or obese in the academic year. Children are classified as overweight (including obese) if their BMI is on or above the 85th centile of the British 1990 growth reference (UK90) according to age and sex.

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2007/08	33.6	31	36.2	30.8	32.6
2008/09	33.1	30	35.7	31.3	32.6
2009/10	36.2	33.6	38.8	32.5	33.4
2010/11	34.4	32	36.9	32.7	33.4
2011/12	35.4	32.9	37.9	32.6	33.9
2012/13	34	31.6	36.5	32	33.3
2013/14	34	32.2	37.1	32.1	33.5
2014/15	35.6	33.2	38	32	33.2
2015/16	37.4	35.1	39.7	-	34.2



Indicator number	2.14
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Smoking Prevalence in Adults - Current Smokers


[Back to Priority 1](#)  
[Back to HWB Dashboard](#)

**Data source** Annual Population Survey

**Denominator** Total number of respondents (with valid recorded smoking status) aged 18+ from the Annual Population Survey. The number of respondents has been weighted in order to improve representativeness of the sample. The weights take into account survey design and non-response.

**Numerator** The number of persons aged 18 + who are self-reported smokers in the Annual Population Survey. The number of respondents has been weighted in order to improve representativeness of the sample. The weights take into account survey design and non-response.

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2012	20.6	18.4	22.8	18.7	19.3
2013	20.4	18.2	22.6	17.7	18.4
2014	18.7	16.7	20.7	17.9	17.8
2015	17.6	15.5	19.8	16.7	16.9
2016	15.8	13.5	18.1	13.8	15.5




Indicator number	2.03
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	% of women who smoke at the time of delivery

[Back to Priority 1](#)  
[Back to HWB Dashboard](#)

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2010/11	7.2	6.1	8.2	14.4	13.5
2011/12	8.4	7.4	9.6	13.8	13.2
2012/13	7.4	6.3	8.2	13.2	12.7
2013/14	8.5	7.4	9.6	13	12
2014/15	7.4	6.4	8.5	12	11.4
2015/16	8	7	9.1	11.9	10.6
2016/17	6.8	5.9	7.9	12	10.7

Data source	Calculated by KIT East from the Health and Social Care Information Centre's return on Smoking Status At Time of delivery (SSATOD)
-------------	---

Denominator	Number of maternities (estimated based on counts for CCGs)
Numerator	Number of women known to smoke at time of delivery (estimated based on counts for CCGs)




Indicator number	NA
Outcomes Framework	Local Tobacco Control Profiles
Indicator full name	Smoking prevalence in routine and manual occupations - Current smokers

[Back to Priority 1](#)  
[Back to HWB Dashboard](#)

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2012	32.1	26.4	37.8	NO DATA	31.1
2013	36.1	30.1	42.1	NO DATA	30.1
2014	26.6	21.2	32	NO DATA	29.6
2015	26.7	20.6	32.7	NO DATA	28.1
2016	30.4	23	37.9	26	26.5

Data source	Annual Population Survey
Denominator	Total respondents with a self-reported smoking status aged 18-64 in the R&M group. Weighted to improve representativeness.
Numerator	Respondents who are self-reported smokers in the R&M group. Weighted to improve representativeness






Indicator number	2.22ii
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2013/14-16/17	65.2	64.8	65.7	75.7	74.1

[Back to Priority 1](#)  
[Back to HWB Dashboard](#)

**Data source** Public Health England - www.healthcheck.nhs.uk

**Denominator** Number of people aged 40-74 eligible for an NHS Health Check in the five year period  
**Numerator** Number of people aged 40-74 eligible for an NHS Health Check who were offered an NHS Health Check in the five year period




Indicator number	2.22iii
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received a Health Check

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2013/14-16/17	47	46.1	47.8	50.7	48.9

[Back to Priority 1](#)  
[Back to HWB Dashboard](#)

**Data source** Public Health England - www.healthcheck.nhs.uk

**Denominator** Number of people aged 40-74 eligible for an NHS Health Check in the five year period  
**Numerator** Number of people aged 40-74 eligible for an NHS Health Check who were offered an NHS Health Check in the five year period




Indicator number	2.22iii
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received a Health Check

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2013/14-16/17	30.6	30.2	31.1	38.4	36.2

[Back to Priority 1](#)  
[Back to HWB Dashboard](#)


**Data source** Public Health England - www.healthcheck.nhs.uk

**Denominator** Number of people aged 40-74 eligible for an NHS Health Check in the five year period  
**Numerator** Number of people aged 40-74 eligible for an NHS Health Check who were offered an NHS Health Check in the five year period



<b>Indicator number</b>	1.18i/11
<b>Outcomes Framework</b>	Public Health Outcomes Framework/Adult Social Care Outcome Framework
<b>Indicator full name</b>	% of adult social care users who have as much social contact as they would like according to the Adult Social Care Users Survey
<a href="#">Back to Priority 2</a> <a href="#">Back to HWB Dashboard</a>	
<b>Data source</b>	Adult Social Care Survey - England <a href="http://content.digital.nhs.uk/catalogue/PUB21630 - Annex Tables">http://content.digital.nhs.uk/catalogue/PUB21630 - Annex Tables</a>
<b>Denominator</b>	The number of people responding to the question "Thinking about how much contact you've had with people you like, which of the following statements best describes your social situation?"
<b>Numerator</b>	All survey respondents who responded to the question (adult social care users identified by LA) NHS Digital - Personal Social Services Adult Social Care Survey England

Period	Reading	Fourth less deprived (IMD2015)	England
2010/11	41.4	-	41.9
2011/12	45.4	-	42.3
2012/13	43.9	-	43.2
2013/14	44.9	-	44.5
2014/15	41.5	-	44.8
2015/16	43.2	-	45.4
2016/17	45.2	-	45.4



<b>Indicator number</b>	1.18ii/11
<b>Outcomes Framework</b>	Public Health Outcomes Framework/Adult Social Care Outcome Framework
<b>Indicator full name</b>	% of adult carers who have as much social contact as they would like according to the Adult Social Care Users Survey


[Back to Priority 2](#)  
[Back to HWB Dashboard](#)

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2012/13	52.2	48.1	56.3		41.3
2014/15	36.6	31.8	41.4		38.5
2016/17	36.2	30.4	42.4	32.4	35.5

**Data source** Carers Survey

**Denominator** The number of people responding to the question "Thinking about how much contact you've had with people that you like, which of the following statements best describes your social situation?", with the answer "I have as much social contact as I want with people I like" divided by the total number of responses to the same question.

**Numerator** All survey respondents who responded to the question (adult social care users identified by LA) NHS Digital - Personal Social Services Adult Social Care Survey England



**Indicator number** 2.15iii

**Outcomes Framework** Public Health Outcomes Framework

**Indicator full name** Successful completion of alcohol treatment


[Back to Priority 3](#)  
[Back to HWB Dashboard](#)

**Data Source** National Drug Treatment Monitoring System

**Denominator** Total number of adults in structured alcohol treatment in a one year period

**Numerator** Adults that complete treatment for alcohol dependence who do not re-present to treatment within six months

Period	Reading	IMD 4th less deprived decile	England
2010	29.3	34.3	31.4
2011	54.3	34.6	34.8
2012	41.7	36.5	37.1
2013	42.5	37.7	37.5
2014	36	36.2	38.4
2015	38.3	40.5	38.4
2016	44.70	38.20	38.70



<b>Indicator number</b>	2.18
<b>Outcomes Framework</b>	Public Health Outcomes Framework
<b>Indicator full name</b>	Admission episodes for alcohol-related conditions per 100,000 people


[Back to Priority 3](#)  
[Back to HWB Dashboard](#)

**Data Source** Health and Social Care information Centre - Hospital Episode Statistics.  
Via Local Alcohol Profiles for England

**Denominator** Mid-Year Population Estimates (ONS)

**Numerator** Admissions to hospital where primary diagnosis is an alcohol-related condition or a secondary diagnosis is an alcohol-related external cause. Uses attributable fractions to estimate.

Period	Reading	IMD 4th less deprived decile	England
2008/09	424	565	606
2009/10	442	601	629
2010/11	466	598	643
2011/12	444	601	645
2012/13	511	585	630
2013/14	568	603	640
2014/15	541	597	635
2015/16	599	612	647



Indicator number	4.16 / 2.6i
Outcomes Framework	Public Health Outcomes Framework / NHS Outcomes Framework
Indicator full name	Estimated diagnosis rate for people with dementia

Period	Reading	IMD 4th less deprived decile	England
2017	68.4		67.9


[Back to Priority 5](#)  
[Back to HWB Dashboard](#)

**Data Source** NHS Digital

**Denominator** Applying the reference rates to the registered population yields the number of people aged 65+ one would expect to have dementia within the subject population where:

**Numerator** **Registered population**  
 Patients aged 65+ registered for General Medical Services, counts by 5-year age and sex band from the National Health Application and Infrastructure Services (NHAIS / Exeter) system; extracted on the first day of each month following the reporting period end date of the numerator.

**Reference rates: sampled dementia prevalence**  
 Age 65+ age and sex-specific dementia prevalence rates. Source: MRC CFAS II.





Indicator number	NA
Outcomes Framework	NA
Indicator full name	No. of Dementia Friends


[Back to Priority 5](#)  
[Back to HWB Dashboard](#)

Period	Reading	IMD 4th less deprived decile	England

Data Source

Denominator

Numerator



Indicator number	2.20iii
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Cancer screening coverage - bowel cancer


[Back to Priority 6](#)  
[Back to HWB Dashboard](#)

Period	Reading	Fourth less deprived	England
2015	55.3	58.4	57.1
2016	55.8	59.5	57.9

**Data Source** Health and Social Care Information Centre (Open Exeter)/Public Health England

**Denominator** Number of people aged 60-74 resident in the area (determined by postcode of residence) who are eligible for bowel screening at a given point in time (excluding those with no functioning colon (e.g, after surgery) or have made an informed decision to opt out.

**Numerator** Number of people aged 60-74 resident in the area (determined by postcode of residence) with a screening test result recorded in the previous 2½ years



Indicator number	2.20i
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Cancer screening coverage - breast cancer


[Back to Priority 6](#)  
[Back to HWB Dashboard](#)

**Data Source** Health and Social Care Information Centre (Open Exeter)/Public Health England

**Denominator** Number of women aged 53-70 resident in the area (determined by postcode of residence) who are eligible for breast screening at a given point in time.

**Numerator** Number of women aged 53-70 resident in the area (determined by postcode of residence) with a screening test result recorded in the previous three years

Period	Reading	4th less deprived IMD 2015	England
2010	73.6	78.6	76.9
2011	72.5	79.2	77.1
2012	73.6	79	76.9
2013	74.3	78.3	76.3
2014	73.3	78.1	75.9
2015	73.4	77.7	75.4
2016	73.4	77.8	75.5



Indicator number	3.05ii
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Incidence of TB (three year average)


[Back to Priority 7](#)  
[Back to HWB Dashboard](#)

**Data Source** Enhanced Tuberculosis Surveillance system (ETS) and Office for National Statistics (ONS)

**Denominator** Sum of the Office for National Statistics (ONS) mid-year population estimates for each year of the three year time period

**Numerator** Sum of the number of new TB cases notified to the Enhanced Tuberculosis Surveillance system (ETS) over a three year time period

Period	Reading	4th less deprived IMD 2015	England
2000 - 02	23.1	7.4	12.7
2001 - 03	25.4	7.8	13.1
2002 - 04	26.4	8.2	13.5
2003 - 05	30.3	8.6	14.1
2004 - 06	31.1	8.9	14.7
2005 - 07	35.5	9.4	15
2006 - 08	35.4	9.7	15
2007 - 09	37.9	10	15.1
2008 - 10	38.4	9.8	15.1
2009 - 11	36.4	9.5	15.2
2010 - 12	33	9.5	15.1
2011 - 13	34.1	9.2	14.7
2012 - 14	36.3	8.8	13.5
2013 - 15	34.7	7.7	11.9
2014 - 16	26.4	7.1	10.9



<b>Indicator number</b>	<b>4.10</b>
<b>Outcomes Framework</b>	<b>Public Health Outcomes Framework</b>
<b>Indicator full name</b>	<b>Age-standardised mortality rate from suicide and injury of undetermined intent per 100,000 population</b>

[Back to Priority 8](#)  
[Back to HWB Dashboard](#)

**Data Source** Public Health England (based on ONS)

**Denominator** ONS 2011 census based mid-year population estimates

**Numerator** Number of deaths from suicide and injury from undetermined intent ICD10 codes X60-X84 (age 10+), Y10-34 (age 15+).

Period	Reading	4th less deprived IMD 2015	England
2001 - 03	11.5	-	10.3
2002 - 04	10.7	-	10.2
2003 - 05	10.4	-	10.1
2004 - 06	10	-	9.8
2005 - 07	9.6	-	9.4
2006 - 08	11.2	-	9.2
2007 - 09	10.9	-	9.3
2008 - 10	8.8	-	9.4
2009 - 11	7.4	-	9.5
2010 - 12	7.7	-	9.5
2011 - 13	9.3	-	9.8
2012 - 14	9.8	-	10
2013 - 15	11	10.5	10.1
2014 - 16	9.9	10.2	9.9

