



Peter Sloman
CHIEF EXECUTIVE

Civic Offices, Bridge Street,
Reading RG1 2LU
☎ 0118 937 3787

To: All members of the Health & Wellbeing
Board

Our Ref:
Your Ref:

Direct: ☎ 0118 937 2112
e-mail: nicky.simpson@reading.gov.uk

13 March 2018

Your contact is: **Nicky Simpson - Committee Services**

HEALTH & WELLBEING BOARD - 16 MARCH 2018

Dear members of the Health and Wellbeing Board

Further to the agenda for the meeting of the Board to be held on Friday 16 March 2018 please find attached the following document:

- Item 7 - **HEALTH AND WELLBEING DASHBOARD - MARCH 2018** - updated report now including Indicators for Priority 4 (Promoting positive mental health and wellbeing in children and young people) which have now been finalised (page A1)

Please add this to your papers for the meeting as a replacement for the original report at Item 7 (page 54).

CIVIC CENTRE EMERGENCY EVACUATION: *If an alarm sounds, leave by the nearest fire exit quickly and calmly and assemble on the corner of Bridge Street and Fobney Street. You will be advised when it is safe to re-enter the building.*

READING HEALTH AND WELLBEING BOARD

DATE OF MEETING:	16 March 2018	AGENDA ITEM:	7
REPORT TITLE:	Health and Wellbeing Dashboard - MARCH 2018		
REPORT AUTHOR:	Kim McCall	TEL:	0118 9373245
JOB TITLE:	Health and Wellbeing Intelligence Officer	E-MAIL:	kim.mccall@reading.gov.uk
ORGANISATION:	Reading Borough Council		

1. PURPOSE OF REPORT AND EXECUTIVE SUMMARY

- 1.1 The Health and Wellbeing Dashboard is intended to keep Board members informed of local trends in priority areas identified in the Health and Wellbeing Strategy. The broad format has previously been agreed by the Board.
- 1.2 Appendix A - Health and Wellbeing Dashboard - March 2018

2. RECOMMENDED ACTION

2.1 That the Health and Wellbeing Board notes the following updates to the indicators and targets which are included in the Health and Wellbeing dashboard:

- Targets for smoking prevalence and smoking prevalence in those working in routine and manual professions have been finalised.
- Indicators for Priority 5 (Living well with dementia) have now been finalised.
- Indicators for Priority 4 (Promoting positive mental health and wellbeing in children and young people) have now been finalised.

2.2 That the Health and Wellbeing Board notes the following performance updates contained in the dashboard:

- % of 4-5 year olds and % of 10-11 year olds classified as overweight or obese have been updated since the last report (Priority 1)
- Rate of alcohol-related hospital admissions has been updated since the last report (Priority 3)
- Breast and bowel cancer screening coverage have been updated since the last report (Priority 6)
- No. of Dementia Friends (local indicator) (Priority 5) has been updated.
- Health checks indicators updated with Q2 performance
- Alcohol treatment completion updated with Q3 performance

2.3 That the Health and Wellbeing Board notes the following areas where performance is worse than set target:

Priority 1

2.06ii - % 4-5 year olds classified as overweight/obese

A slight increase has put Reading slightly above target and above the

percentage recorded last year. This follows three years of slight reductions and, statistically, may be the result of chance rather than a 'real' trend. Overweight and obesity has fallen significantly in older primary aged children this year. Performance against both indicators will be monitored to determine whether these represent real trends.

2.14 - Smoking prevalence - all adults

Smoking prevalence in all adults is going down gradually and in 2016 15.8% of the population were current smokers, similar to the England average of 15.5%. A target has been set locally of a 1% reduction. However, this represents what would be needed annually to meet the national target set in the England Tobacco Control Plan of 12% or less by 2022. Although performance (2016) is currently rated red, the target reduction of 1% is expected by 2017.

2.14 - Smoking prevalence - all adults - routine and manual professions

Smoking amongst people working in routine and manual professions in Reading increased from 26.7% to 30.4% in the last year and is higher than the England and similar LA averages. While the relatively small population makes it difficult to detect a statistical difference from the England average, Reading has seen a slight increase year-on-year, while the England average has decreased. A 2% annual reduction is needed to eliminate the inequality in smoking prevalence between this group and the whole population.

2.22 - Health check indicators.

Reading will not meet local or national targets for proportion of the population who are eligible for a health check (aged 40-74) to be invited for a health check by the end of 2017/18. Low performance against this indicator has had implications for the other two health check indicators. Other pressures within local service provision have had an impact on this performance.

Priority 2

1.18 - Adult Social Care users with as much social contact as they would like AND Carers with as much social contact as they would like.

Targets for these indicators were set based on previous performance (for carers) and, where Reading's performance was below national average, previous England average (Adult Social Care (ASC) users). The proportion of ASC users in Reading reporting enough social contact has improved over the last two years, while the national average has stayed the same. The proportion in Reading is now only very slightly below national average (45.2 vs 45.4) and the local target (also 45.4). Similarly, for carers in Reading, the proportion reporting enough social contact has remained the same, while the national average has fallen. Consequently, carers in Reading are now more likely to report enough social contact than nationally. Although targets have not yet been met, performance has improved and is in line or better than the national average.

Priority 3

2.18 - Admission episodes for alcohol related conditions

Alcohol-related hospital admissions, for many years much better than

average, have been increasing gradually and are now in line with national average.

Priority 8

4.10- Mortality rate from suicide and injury of undetermined intent

The rate in Reading fell from 11 per 100,000 in 2013-15 (44 people) to 9.9 per 100,000 in 2014-16 (40 people). This is in line with the England average and slightly lower than similar LAs but did not meet the local target set by stakeholders.

That the Health and Wellbeing Board notes that updates are expected to be available for the July meeting of the Board in relation to the following indicators (all dates are provisional)

- 2.4 - Dementia friends (Priority 5) - local indicator updated each quarter
- Health checks indicators Q4 updates expected June 2018
- Alcohol treatment completion Q4 updates expected May 2018

3. POLICY CONTEXT

3.1 The final version of Reading's Health and Wellbeing Strategy was approved by the Health and Wellbeing Board on 27th January 2017 and an action plan based on the eight strategic priorities has been developed and sets out in detail how the priorities will be met.

3.2 In July 2016, Reading's Health and Wellbeing Board agreed to introduce a regular Health and Wellbeing Dashboard report to ensure that members of the board are kept informed about the Partnership's performance in its priority areas, compared to the national average and other similar local authority areas.

4. THE PROPOSAL

4.1 **Current Position:** The current Health and Wellbeing Dashboard has been developed in consultation with Health and Wellbeing Strategy Priority/Action Plan Leads. The dashboard will be presented to the board on a quarterly basis. Board members are presented with the full dashboard at each meeting in order to facilitate a review of performance against selected indicators and targets. Information about which indicators have been updated since the previous report will be included within the dashboard and highlighted in the covering report.

5. CONTRIBUTION TO READING'S HEALTH AND WELLBEING STRATEGIC AIMS

5.1 This proposal supports Corporate Plan priorities by ensuring that Health and Wellbeing Board members are kept informed of performance and progress against key indicators, including those that support corporate strategies.

6. COMMUNITY & STAKEHOLDER ENGAGEMENT

6.1 A wide range of voluntary and public sector partners and members of the public were encouraged to participate in the development of the Health and Wellbeing Strategy and, as described above, a draft of the proposed Strategy was made available for consultation between 10th October and 11th December 2016. The indicators included in this report reflect those areas highlighted during the development of the strategy and included in the final version.

7. EQUALITY IMPACT ASSESSMENT

- 7.1 An Equality Impact Assessment is not required in relation to the specific proposal to present the dashboard in this format. However, it is anticipated that this will be one of the tools which Board members can use to monitor the success of the Health and Wellbeing strategy as a vehicle for tackling inequalities.

8. LEGAL IMPLICATIONS

- 8.1 There are no legal implications.

9. FINANCIAL IMPLICATIONS

- 9.1 The proposal to note the report in Appendix A offers value for money by ensuring that Board members are better able to determine how effort and resources are most likely to be invested beneficially in advance of the full Health and Wellbeing Dashboard.

10. BACKGROUND PAPERS

- 10.1 Minutes of the Health and Wellbeing Board 27th January 2017 - <http://www.reading.gov.uk/article/9641/Health-and-Wellbeing-Board-27-JAN-2017>
- 10.2 Reading Borough Council (2017) *Reading's Health and Wellbeing Strategy*
- 10.3 Minutes of the Health and Wellbeing Board 15th July 2016 - <http://www.reading.gov.uk/article/9585/Health-and-Wellbeing-Board-15-JUL-2016>
- 10.4 Health and Wellbeing Board Performance Update - February 2017
- 10.5 Minutes of the Health and Wellbeing Board 19th January 2018 - <http://www.reading.gov.uk/article/10603/Health--Wellbeing-Board-19-JAN-2018>

APPENDIX A - Health and Wellbeing dashboard March 2018

Priority	Indicator	Target Met/Not Met	Direction of Travel
1. Supporting people to make healthy lifestyle choices	2.12 Excess weight in adults	Met	Better
	2.13i % of adults physically active	Met	Better
	2.06i % 4-5 year olds classified as overweight/obese	Not Met	Worse
	2.06ii % 10-11 year olds classified as overweight/obese	Met	Better
	2.03 Smoking status at the time of delivery	Met	Better
	2.14 Smoking prevalence - all adults - current smokers	Not Met	Better
	2.14 Smoking prevalence - routine and manual - current smokers	Not Met	Worse
	2.22iii Cumulative % of those aged 40-74 offered a healthcheck 2013-2018	Not Met	Worse
	2.22 iv Cumulative % of those offered a healthcheck who received a healthcheck 2013-2018	Not Met	No change
	2.22 v Cumulative % of those aged 40-74 who received a healthcheck 2013-2018	Not Met	No change
2. Reducing loneliness and social isolation	1.18i/11 % of adult social care users with as much social contact as they would like	Not Met	Better
	1.18ii/11 % of adult carers with as much social contact as they would like	Not Met	No change
	Placeholder - Loneliness and Social Isolation	NA	NA
3.Reducing the amount of alcohol people drink to safer levels	2.15iii Successful treatment of alcohol treatment	Met	Worse
	2.18 Admission episodes for alcohol related conditions (DSR per 100,000)	Not met	Worse
4.Promoting positive mental health and wellbeing in children and young people	Pupils with social, emotional and mental health needs (primary school age)	Met	No change
	Pupils with social, emotional and mental health needs (secondary school age)	Met	Worse
	Pupils with social, emotional and mental health needs (all school age)	Met	No change
5.Living well with dementia	4.16/2.6i Estimated diagnosis rate for people with dementia	Met	No change
	No. Dementia Friends (Local Indicator)	Met	Better
	Placeholder - ASCOF measure of post-diagnosis care	NA	NA
6.Increasing take up of breast and bowel screening and prevention services	2.20iii Cancer screening coverage - bowel cancer	Met	No change
	2.20i Cancer screening coverage - breast cancer	Met	No change
7.Reducing the number of people with tuberculosis	3.05ii Incidence of TB (three year average)	Met	Better
8. Reducing deaths by suicide	4.10 Age-standardised mortality rate from suicide and injury of undetermined intent	Not met	Better

PRIORITY 1: Supporting people to make healthy lifestyle choices

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
2.12 Excess weight in adults	Public Health Outcomes Framework	Active People Survey	Annual	Low	2015-16	55.3	63.4	Met	Better	61.3	61.7
2.13i % of adults physically active	Public Health Outcomes Framework	Active Lives Survey	Annual	High	2015-16	64.0	64	Met	Better	65.1	64.9
2.06i % 4-5 year olds classified as overweight/obese	Public Health Outcomes Framework	National Child Measurement Programme	Annual	Low	2016-17	22.9	22.0	Not Met	Worse	22.6	22.6
2.06ii % 10-11 year olds classified as overweight/obese	Public Health Outcomes Framework	National Child Measurement Programme	Annual	Low	2016-17	32.9	36	Met	Better	34.2	32.6
2.03 Smoking status at the time of delivery	Public Health Outcomes Framework	Smoking Status At Time of Delivery (SSATOD) HSCIC	Annual	Low	2016-17	6.8	8.0	Met	Better	10.7	12.0
2.14 Smoking prevalence all adults	Public Health Outcomes Framework	Annual Population Survey	Annual	Low	2016	15.8	14.8	Not Met	Better	15.5	13.8
2.14 Smoking prevalence - routine and manual - current smokers	Public Health Outcomes Framework	Annual Population Survey	Annual	Low	2016	30.4	28.9	Not Met	Worse	26.5	26.0
2.22iii Cumulative % of those aged 40-74 offered a healthcheck 2013-2018	Public Health Outcomes Framework	www.healthcheck.nhs.uk	Annual	High	2013-2018 Q3	70.3	100%	Not Met	No change	86.4	Not available
2.22 iv Cumulative % of those offered a healthcheck who received a healthcheck 2013-2018	Public Health Outcomes Framework	www.healthcheck.nhs.uk	Annual	High	2013-2018 Q3	47.1	50%	Not Met	No change	48.5	Not available
2.22 v Cumulative % of those aged 40-74 who received a healthcheck 2013-2018	Public Health Outcomes Framework	www.healthcheck.nhs.uk	Annual	High	2013-2018 Q3	33.1	50%	Not Met	No change	41.9	Not available

[Back to HWB Dashboard](#)

PRIORITY 2: Supporting people to make healthy lifestyle choices

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
1.18i/11 % of adult social care users with as much social contact as they would like	Public Health Outcomes Framework/Adult Social Care Outcomes Framework	Adult Social Care Survey - England	Annual	High	2016-17	45.2	45.4	Not Met	Better	45.4	NA
1.18ii/11 % of adult carers with as much social contact as they would like	Public Health Outcomes Framework/Adult Social Care Outcomes Framework	Carers Survey	Bi-Annual	High	2016-17	36.2	38.5	Not Met	No change	35.5	32.4
<i>Placeholder - Loneliness and Social Isolation</i>	NA	TBC	Annual							NA	NA

[Back to HWB Dashboard](#)

PRIORITY 3: Reducing the amount of alcohol people drink to safer levels

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
2.15iii Successful treatment of alcohol treatment	Public Health Outcomes Framework	National Drug Treatment Monitoring System	Quarterly	High	Q3 2017/18	42.5%	38.3%	Met	Worse	38.7%	38.2%
2.18 Admission episodes for alcohol related conditions (DSR per 100,000)	Public Health Outcomes Framework	Local Alcohol Profiles for England (based on HSCIC HES)	Annual	Low	2016/17	602	599	Not met	Worse	636	602

[Back to HWB Dashboard](#)

Priority 4: Promoting positive mental health and wellbeing in children and young people

Indicator Title	Framework	Source and frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
Pupils with social, emotional and mental health needs (primary school age)	Children and Young People's Mental Health and Wellbeing	DFE Special Needs Education Statistics	Low	2017	2.3%	2.3%	Met	No change	2.1%	2.0%
Pupils with social, emotional and mental health needs (secondary school age)	Children and Young People's Mental Health and Wellbeing	DFE Special Needs Education Statistics	Low	2017	3.3%	3.3%	Met	Worse	2.4%	2.0%
Pupils with social, emotional and mental health needs (all school age)	Children and Young People's Mental Health and Wellbeing	DFE Special Needs Education Statistics	Low	2017	3.0%	3.0%	Met	No change	2.3%	2.1%

[Back to HWB Dashboard](#)

Priority 5: Living well with dementia

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
4.16/2.6i Estimated diagnosis rate for people with dementia	Public Health Outcomes Framework/NHS Outcomes Framework	NHS Digital	Annual	High	2017	68.4	67.7	Met	No change	67.9	Not available
No. of Dementia friends	NA (Local only)	Local Report	Quarterly	High	Reported locally	5800	4500	Met	Better	Not available	Not available

PLACEHOLDER - Post diagnosis care

[Back to HWB Dashboard](#)

Priority 6: Increasing take up of breast and bowel screening and prevention services

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
2.20iii Cancer screening coverage - bowel cancer	Public Health Outcomes Framework	Health and Social Care Inform	Annual	High	2017	56.5	52%	Met	No change	58.8	60.6
2.20i Cancer screening coverage - breast cancer	Public Health Outcomes Framework	Health and Social Care Information Centre (HSCIC)	Annual	High	2017	72.9	70%	Met	No change	75.4	77.6

[Back to HWB Dashboard](#)

Priority 7: Reducing the number of people with tuberculosis

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
3.05ii Incidence of TB (three year average)	Public Health Outcomes Framework	Public Health	Annual	Low	2014-2016	26.4	30	Met	Better	10.9	7.1

[Back to HWB Dashboard](#)

Priority 8: Reducing deaths by suicide

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
4.10 Age-standardised mortality rate from suicide and injury of undetermined intent	Public Health Outcomes Framework	Health England (based on	Annual	Low	2014-16	9.9	8.25	Not met	Better	9.9	10.2

[Back to HWB Dashboard](#)

Indicator number	2.12
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Excess weight in adults


[Back to Priority 1](#)
[Back to HWB Dashboard](#)

Data source	Active Lives Survey (previously Active People Survey) Sport England
	* Note change in methodology in 2015-16

Denominator
 Number of adults with valid height and weight recorded. Active lives Survey. Historical (before 2015-16) Number of adults with valid height and weight recorded. Data are from APS year 1, quarter 2 to APS year 3, quarter 1

Numerator
 Number of adults with a BMI classified as overweight (including obese), calculated from the adjusted height and weight variables. Active Lives Survey. Previously (before 2015-16) from Active People survey. Adults are defined as overweight (including obese) if their body mass index (BMI) is greater than or equal to 25kg/m2.

Period	Reading	Fourth less deprived (IMD2015)	England
2012-14	61		64.6
2013-15	63.4	65.4	64.8
2015-16	55.3	61.7	61.3



Indicator number	2.13
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	% Physically Active Adults

[Back to Priority 1](#)
[Back to HWB Dashboard](#)


Data source	Until 2015 - Active People Survey, Sport England 2015-16 onwards - Active Lives, Sport England
--------------------	---

* Note change in methodology in 2015-16

Denominator	Weighted number of respondents aged 19 and older with valid responses to questions on physical activity
--------------------	---

Numerator	Weighted number of respondents aged 19 and over, with valid responses to questions on physical activity, doing at least 150 MIE minutes physical activity per week in bouts of 10 minutes or more in the previous 28 days.
------------------	--

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2012	59.7	55.3	64.2		56
2013	56.6	52.3	60.8		56
2014	54.7	50.4	58.9		57
2015	59.3	55	63.6	58.5	57
2015-16*	64	60.9	66.9	65.1	64.9



Indicator number	2.06i
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Child excess weight in 4-5 year olds


[Back to Priority 1](#)
[Back to HWB Dashboard](#)

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2007/08	20.6	18.5	22.9	20.7	22.6
2008/09	22.5	20.5	24.6	21.6	22.8
2009/10	25.7	23.7	27.9	22.8	23.1
2010/11	25.7	23.7	27.8	22.2	22.6
2011/12	24.1	22.1	26.1	22	22.6
2012/13	21.8	20	23.9	21.6	22.2
2013/14	23.3	21.3	25.5	21.4	22.5
2014/15	22.6	20.9	24.5	21.3	21.9
2015/16	21.8	20.1	23.6	-	22
2016/17	22.9	21.1	24.7	22.6	22.6

Data source National Child Measurement Programme

Denominator Number of children in Reception (aged 4-5 years) measured in the National Child Measurement Programme (NCMP) attending participating state maintained schools in England.

Numerator Number of children in Reception (aged 4-5 years) classified as overweight or obese in the academic year. Children are classified as overweight (including obese) if their BMI is on or above the 85th centile of the British 1990 growth reference (UK90) according to age and sex.



Indicator number	2.06i
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Child excess weight in 10-11 year olds


[Back to Priority 1](#)
[Back to HWB Dashboard](#)

Data source National Child Measurement Programme

Denominator Number of children in Year 6 (aged 10-11 years) measured in the National Child Measurement Programme (NCMP) attending participating state maintained schools in England.

Numerator Number of children in Year 6 (aged 10-11 years) classified as overweight or obese in the academic year. Children are classified as overweight (including obese) if their BMI is on or above the 85th centile of the British 1990 growth reference (UK90) according to age and sex.

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2007/08	33.6	31	36.2	30.8	32.6
2008/09	33.1	30	35.7	31.3	32.6
2009/10	36.2	33.6	38.8	32.5	33.4
2010/11	34.4	32	36.9	32.7	33.4
2011/12	35.4	32.9	37.9	32.6	33.9
2012/13	34	31.6	36.5	32	33.3
2013/14	34	32.2	37.1	32.1	33.5
2014/15	35.6	33.2	38	32	33.2
2015/16	37.4	35.1	39.7	-	34.2
2016/17	32.9	30.7	35.2	32.6	34.2



Indicator number	2.14
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Smoking Prevalence in Adults - Current Smokers


[Back to Priority 1](#)
[Back to HWB Dashboard](#)

Data source Annual Population Survey

Denominator Total number of respondents (with valid recorded smoking status) aged 18+ from the Annual Population Survey. The number of respondents has been weighted in order to improve representativeness of the sample. The weights take into account survey design and non-response.

Numerator The number of persons aged 18 + who are self-reported smokers in the Annual Population Survey. The number of respondents has been weighted in order to improve representativeness of the sample. The weights take into account survey design and non-response.

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2012	20.6	18.4	22.8	18.7	19.3
2013	20.4	18.2	22.6	17.7	18.4
2014	18.7	16.7	20.7	17.9	17.8
2015	17.6	15.5	19.8	16.7	16.9
2016	15.8	13.5	18.1	13.8	15.5




Indicator number	2.03
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	% of women who smoke at the time of delivery

[Back to Priority 1](#)
[Back to HWB Dashboard](#)

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2010/11	7.2	6.1	8.2	14.4	13.5
2011/12	8.4	7.4	9.6	13.8	13.2
2012/13	7.4	6.3	8.2	13.2	12.7
2013/14	8.5	7.4	9.6	13	12
2014/15	7.4	6.4	8.5	12	11.4
2015/16	8	7	9.1	11.9	10.6
2016/17	6.8	5.9	7.9	12	10.7

Data source	Calculated by KIT East from the Health and Social Care Information Centre's return on Smoking Status At Time of delivery (SSATOD)
-------------	---

Denominator	Number of maternities (estimated based on counts for CCGs)
Numerator	Number of women known to smoke at time of delivery (estimated based on counts for CCGs)



Indicator number	NA
Outcomes Framework	Local Tobacco Control Profiles
Indicator full name	Smoking prevalence in routine and manual occupations - Current smokers


[Back to Priority 1](#)
[Back to HWB Dashboard](#)

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2012	32.1	26.4	37.8	NO DATA	31.1
2013	36.1	30.1	42.1	NO DATA	30.1
2014	26.6	21.2	32	NO DATA	29.6
2015	26.7	20.6	32.7	NO DATA	28.1
2016	30.4	23	37.9	26	26.5

Data source	Annual Population Survey
-------------	--------------------------

Denominator Total respondents with a self-reported smoking status aged 18-64 in the R&M group. Weighted to improve representativeness.

Numerator Respondents who are self-reported smokers in the R&M group. Weighted to improve representativeness



Indicator number	2.22ii
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check

[Back to Priority 1](#)

[Back to HWB Dashboard](#)

Data source Public Health England - www.healthcheck.nhs.uk


Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2013/14-16/17	65.2	64.8	65.7	75.7	74.1
2013-2018 Q2	68.72				82.54
2013-2018 Q3	70.33				86.36

Denominator

Number of people aged 40-74 eligible for an NHS Health Check in the five year period

Numerator

Number of people aged 40-74 eligible for an NHS Health Check who were offered an NHS Health Check in the five year period



Indicator number	2.22iii
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received a Health Check


[Back to Priority 1](#)

[Back to HWB Dashboard](#)

Data source Public Health England - www.healthcheck.nhs.uk

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2013/14-16/17	47	46.1	47.8	50.7	48.9
2013-2018 Q2	46.96				48.39
2013-2018 Q3	47.08				48.52

Denominator Number of people aged 40-74 offered an NHS Health Check in the five year period
Numerator Number of people aged 40-74 eligible for an NHS Health Check received an NHS Health Check in the five year period



Indicator number	2.22iii
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Cumulative percentage of the eligible population aged 40-74 who received a Health Check

[Back to Priority 1](#)

[Back to HWB Dashboard](#)

Data source Public Health England - www.healthcheck.nhs.uk


Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2013/14-16/17	30.6	30.2	31.1	38.4	36.2
2013-2018 Q2	32.27				39.94
2013-2018 Q3	33.11				41.91

Denominator

Number of people aged 40-74 eligible for an NHS Health Check in the five year period

Numerator

Number of people aged 40-74 eligible for an NHS Health Check who received an NHS Health Check in the five year period



Indicator number	1.18i/11
Outcomes Framework	Public Health Outcomes Framework/Adult Social Care Outcome Framework
Indicator full name	% of adult social care users who have as much social contact as they would like according to the Adult Social Care Users Survey


[Back to Priority 2](#)
[Back to HWB Dashboard](#)

Data source	Adult Social Care Survey - England http://content.digital.nhs.uk/catalogue/PUB21630 - Annex Tables
--------------------	---

Denominator The number of people responding to the question "Thinking about how much contact you've had with people you like, which of the following statements best describes your social situation?"

Numerator All survey respondents who responded to the question (adult social care users identified by LA) NHS Digital - Personal Social Services Adult Social Care Survey England

Period	Reading	Fourth less deprived (IMD2015)	England
2010/11	41.4	-	41.9
2011/12	45.4	-	42.3
2012/13	43.9	-	43.2
2013/14	44.9	-	44.5
2014/15	41.5	-	44.8
2015/16	43.2	-	45.4
2016/17	45.2	-	45.4



Indicator number	1.18ii/11
Outcomes Framework	Public Health Outcomes Framework/Adult Social Care Outcome Framework
Indicator full name	% of adult carers who have as much social contact as they would like according to the Adult Social Care Users Survey


[Back to Priority 2](#)
[Back to HWB Dashboard](#)

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2012/13	52.2	48.1	56.3		41.3
2014/15	36.6	31.8	41.4		38.5
2016/17	36.2	30.4	42.4	32.4	35.5

Data source Carers Survey

Denominator The number of people responding to the question "Thinking about how much contact you've had with people that you like, which of the following statements best describes your social situation?", with the answer "I have as much social contact as I want with people I like" divided by the total number of responses to the same question.

Numerator All survey respondents who responded to the question (adult social care users identified by LA) NHS Digital - Personal Social Services Adult Social Care Survey England



Indicator number 2.15iii

Outcomes Framework Public Health Outcomes Framework

Indicator full name Successful completion of alcohol treatment


[Back to Priority 3](#)
[Back to HWB Dashboard](#)

Data Source National Drug Treatment Monitoring System

Denominator Total number of adults in structured alcohol treatment in a one year period

Numerator Adults that complete treatment for alcohol dependence who do not re-present to treatment within six months

Period	Reading	IMD 4th less deprived decile	England
2010	29.30	34.30	31.40
2011	54.30	34.60	34.80
2012	41.70	36.50	37.10
2013	42.50	37.70	37.50
2014	36.00	36.20	38.40
2015	38.30	40.50	38.40
2016	44.70	38.20	38.70
Q2	42.60		39.00
Q3	42.50		38.60




Indicator number	2.18
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Admission episodes for alcohol-related conditions per 100,000 people

[Back to Priority 3](#)
[Back to HWB Dashboard](#)

Data Source	Health and Social Care information Centre - Hospital Episode Statistics. Via Local Alcohol Profiles for England
Denominator	Mid-Year Population Estimates (ONS)

Numerator Admissions to hospital where primary diagnosis is an alcohol-related condition or a secondary diagnosis is an alcohol-related external cause. Uses attributable fractions to estimate.

Period	Reading	IMD 4th less deprived decile	England
2008/09	424	565	606
2009/10	442	601	629
2010/11	466	598	643
2011/12	444	601	645
2012/13	511	585	630
2013/14	568	603	640
2014/15	541	597	635
2015/16	599	612	647
2016/17	602	602	636



Indicator number	NA
Outcomes Framework	Children and Young People's Mental Health and Wellbeing
Indicator full name	Pupils with social, emotional and mental health needs (primary school age)


Period	Reading	IMD 4th less deprived decile	England
2016	2.2%	2.0%	2.1%
2017	2.3%	2.0%	2.1%

[Back to Priority 4](#)
[Back to HWB Dashboard](#)

Data Source DFE Special Needs Education Statistics

Denominator Total pupils (LA tabulations)

Numerator Number of pupils with statements of SEN where primary need is social, emotional and mental health



Indicator number	NA
Outcomes Framework	Children and Young People's Mental Health and Wellbeing
Indicator full name	Pupils with social, emotional and mental health needs (secondary school age)


Period	Reading	IMD 4th less deprived decile	England
2016	3.0%	2.2%	2.4%
2017	3.3%	2.0%	2.3%

[Back to Priority 4](#)
[Back to HWB Dashboard](#)

Data Source DFE Special Needs Education Statistics


Denominator Total pupils (LA tabulations)

Numerator Number of pupils with statements of SEN where primary need is social, emotional and mental health



Indicator number	NA
Outcomes Framework	Children and Young People's Mental Health and Wellbeing
Indicator full name	Pupils with social, emotional and mental health needs (all school age)
Back to Priority 4 Back to HWB Dashboard	
Data Source	DFE Special Needs Education Statistics
Denominator	Total pupils (LA tabulations)
Numerator	Number of pupils with statements of SEN where primary need is social, emotional and mental health

Period	Reading	IMD 4th less deprived decile	England
2015	3.0%	2.0%	2.0%
2016	2.9%	2.2%	2.3%
2017	3.0%	2.1%	2.3%



Indicator number	4.16 / 2.6i
Outcomes Framework	Public Health Outcomes Framework / NHS Outcomes Framework
Indicator full name	Estimated diagnosis rate for people with dementia

Period	Reading	IMD 4th less deprived decile	England
2017	68.4		67.9


[Back to Priority 5](#)
[Back to HWB Dashboard](#)

Data Source NHS Digital

Denominator Applying the reference rates to the registered population yields the number of people aged 65+ one would expect to have dementia within the subject population where:

Numerator **Registered population**
 Patients aged 65+ registered for General Medical Services, counts by 5-year age and sex band from the National Health Application and Infrastructure Services (NHAIS / Exeter) system; extracted on the first day of each month following the reporting period end date of the numerator.

Reference rates: sampled dementia prevalence
 Age 65+ age and sex-specific dementia prevalence rates. Source: MRC CFAS II.




Indicator number	NA
Outcomes Framework	NA
Indicator full name	No. of Dementia Friends

Period	Reading	Target
March	5,800	3,500
July		5,500

[Back to Priority 5](#)
[Back to HWB Dashboard](#)

Data Source Locally Recorded

Definition No. of people who have completed a 45 minute training session and agreed to be a dementia friend



Indicator number	2.20iii
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Cancer screening coverage - bowel cancer

[Back to Priority 6](#)
[Back to HWB Dashboard](#)


Data Source Health and Social Care Information Centre (Open Exeter)/Public Health England

Denominator Number of people aged 60-74 resident in the area (determined by postcode of residence) who are eligible for bowel screening at a given point in time (excluding those with no functioning colon (e.g, after surgery) or have made an informed decision to opt out.

Numerator Number of people aged 60-74 resident in the area (determined by postcode of residence) with a screening test result recorded in the previous 2½ years

Target is the NHS England minimum coverage standard
<https://www.england.nhs.uk/wp-content/uploads/2017/04/service-spec-26.pdf>

Period	Reading	Fourth less deprived	England
2015	55.3	58.4	57.1
2016	55.8	59.5	57.9
2017	56.5	60.6	58.8



Indicator number	2.20i
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Cancer screening coverage - breast cancer

[Back to Priority 6](#)
[Back to HWB Dashboard](#)


Data Source Health and Social Care Information Centre (Open Exeter)/Public Health England

Denominator Number of women aged 53-70 resident in the area (determined by postcode of residence) who are eligible for breast screening at a given point in time.

Numerator Number of women aged 53-70 resident in the area (determined by postcode of residence) with a screening test result recorded in the previous three years

 Target is the NHS England minimum coverage standard <https://www.england.nhs.uk/wp-content/uploads/2017/04/service-spec-24.pdf>

Period	Reading	4th less deprived IMD 2015	England
2010	73.6	78.6	76.9
2011	72.5	79.2	77.1
2012	73.6	79	76.9
2013	74.3	78.3	76.3
2014	73.3	78.1	75.9
2015	73.4	77.7	75.4
2016	73.4	77.8	75.5
2017	72.9	77.6	75.4



Indicator number	3.05ii
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Incidence of TB (three year average)


[Back to Priority 7](#)
[Back to HWB Dashboard](#)

Data Source Enhanced Tuberculosis Surveillance system (ETS) and Office for National Statistics (ONS)

Denominator Sum of the Office for National Statistics (ONS) mid-year population estimates for each year of the three year time period

Numerator Sum of the number of new TB cases notified to the Enhanced Tuberculosis Surveillance system (ETS) over a three year time period

Period	Reading	4th less deprived IMD 2015	England
2000 - 02	23.1	7.4	12.7
2001 - 03	25.4	7.8	13.1
2002 - 04	26.4	8.2	13.5
2003 - 05	30.3	8.6	14.1
2004 - 06	31.1	8.9	14.7
2005 - 07	35.5	9.4	15
2006 - 08	35.4	9.7	15
2007 - 09	37.9	10	15.1
2008 - 10	38.4	9.8	15.1
2009 - 11	36.4	9.5	15.2
2010 - 12	33	9.5	15.1
2011 - 13	34.1	9.2	14.7
2012 - 14	36.3	8.8	13.5
2013 - 15	34.7	7.7	11.9
2014 - 16	26.4	7.1	10.9



Indicator number	4.10
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Age-standardised mortality rate from suicide and injury of undetermined intent per 100,000 population


[Back to Priority 8](#)
[Back to HWB Dashboard](#)

Data Source Public Health England (based on ONS)

Denominator ONS 2011 census based mid-year population estimates

Numerator Number of deaths from suicide and injury from undetermined intent ICD10 codes X60-X84 (age 10+), Y10-34 (age 15+).

Period	Reading	4th less deprived IMD 2015	England
2001 - 03	11.5	-	10.3
2002 - 04	10.7	-	10.2
2003 - 05	10.4	-	10.1
2004 - 06	10	-	9.8
2005 - 07	9.6	-	9.4
2006 - 08	11.2	-	9.2
2007 - 09	10.9	-	9.3
2008 - 10	8.8	-	9.4
2009 - 11	7.4	-	9.5
2010 - 12	7.7	-	9.5
2011 - 13	9.3	-	9.8
2012 - 14	9.8	-	10
2013 - 15	11	10.5	10.1
2014 - 16	9.9	10.2	9.9



Updates to the health and wellbeing dashboard

● Updates since last report

- Indicators and targets for Priority 4 (Promoting positive mental health and wellbeing for children and young people) have now been agreed with stakeholders and are included.
- Targets for smoking prevalence and smoking prevalence in those working in routine and manual professions have been finalised.
- Indicators for Priority 5 (Living well with dementia) have now been finalised.
- % of 4-5 year olds and % of 10-11 year olds classified as overweight or obese have been updated since the last report (Priority 1)
- Rate of alcohol-related hospital admissions has been updated since the last report (Priority 3)
- Breast and bowel cancer screening coverage have been updated since the last report (Priority 6)
- No. of Dementia Friends (local indicator) (Priority 5) has been updated.
- Health checks indicators updated with Q2 performance
- Alcohol treatment completion updated with Q3 performance

● Updates expected before July 2018 (dates are provisional)

- Update of the dementia diagnosis rate expected March 2018 (Priority 5)
- Dementia friends (Priority 5) - local indicator updated each quarter
- Health checks indicators Q4 updates expected June 2018
- Alcohol treatment completion Q4 updates expected May 2018

Indicator	Expected date of update	Local/Quarterly data available?
2.12 Excess weight in adults	November	No
2.13i % of adults physically active	Not clear. Last updated in September (Active Lives survey)	No
2.06i % 4-5 year olds classified as overweight/obese	January	No
2.06ii % 10-11 year olds classified as overweight/obese	January	No
2.03 Smoking status at the time of delivery	November	No
2.14 Smoking prevalence - all adults - current smokers	August	No
2.14 Smoking prevalence - routine and manual - current smokers	August	No
2.22iii Cumulative % of those aged 40-74 offered a healthcheck 2013/14 - 16/17	Quarterly	Updates are published quarterly
2.22 iv Cumulative % of those offered a healthcheck who received a healthcheck 2013/14 - 16/17	Quarterly	Updates are published quarterly
2.22 v Cumulative % of those aged 40-74 who received a healthcheck 2013/14 - 16/17	Quarterly	Updates are published quarterly
1.18i/11 % of adult social care users with as much social contact as they would like	November	Local data but collected annually
1.18ii/11 % of adult carers with as much social contact as they would like	Nov-19	Local data but collected bi-annually
Placeholder - Loneliness and Social Isolation		
2.15iii Successful treatment of alcohol treatment	Quarterly	Updates are published quarterly
2.18 Admission episodes for alcohol related conditions (DSR per 100,000)	May	No
4.16/2.6i Estimated diagnosis rate for people with dementia	Not clear. 31st March or August	No. (CCGs receive rates per practice and at CCG level, but not at LA level).
No. Dementia Friends (Local Indicator)	Quarterly	Yes
Placeholder - ASCOF measure of post-diagnosis care		
2.20iii Cancer screening coverage - bowel cancer	February	No.
2.20i Cancer screening coverage - breast cancer	February	No.
3.05ii Incidence of TB (three year average)	November	No.
4.10 Age-standardised mortality rate from suicide and injury of undetermined intent	November	No.