Priority	Indicator	Target Met/Not Met	Direction of Travel
1. Supporting people to make healthy lifestyle choices	% adults overweight or obese	Met	Worse
	% of adults physically active	Not Met	Worse
	% 4-5 year olds classified as overweight/obese	Met	No change
	% 10-11 year olds classified as overweight/obese	Not Met	No change
	Smoking status at the time of delivery	Met	No change
	Age 15 smoking prevalence placeholder	NA	NA
	Smoking prevalence - all adults - current smokers	Met	No change
	Smoking prevalance - routine and manual - current smokers	Not Met	No change
	People invited for an NHS Healthcheck	Not Met	Worse
	People taking up an NHS Healthcheck invite	Met	No change
	People receiving an NHS Healthcheck	Not Met	Worse
2. Reducing loneliness and social isolation	% of adult social care users with as much social contact as they would like	Met	No change
	% of adult carers with as much social contact as they would like	Not Met	No change
	Placeholder - Loneliness and Social Isolation	NA	NA
3.Promoting positive mental health and wellbeing in children and young people	Pupils with social, emotional and mental health needs (primary school age)	Not Met	No change
	Pupils with social, emotional and mental health needs (secondary school age)	Met	No change
	Pupils with social, emotional and mental health needs (all school age)	Met	No change
4. Reducing deaths by suicide	Age-standardised mortality rate from suicide and injury of undetermined intent	Not met	No change
5.Reducing the amount of alcohol people drink to safer levels	Successful treatment of alcohol treatment	Not Met	Worse
	Admission episodes for alcohol related conditions (DSR per 100,000)	Met	No change
6.Living well with dementia	Estimated diagnosis rate for people with dementia	Not Met	No change
	No. Dementia Friends (Local Indicator)	NA	NA
	Placeholder - ASCOF measure of post-diagnosis care	NA	NA
7.Increasing take up of breast and bowel screening and prevention services	Cancer screening coverage - bowel cancer	Met	Better
	Cancer screening coverage - breast cancer	Met	No change
8.Reducing the number of people with tuberculosis	Incidence of TB (three year average)	Met	No change

PRIORITY 1: Supporting people to make healthy lifestyle choices

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
% adults overweight or obese	Public Health Outcomes Framework	Active Lives Survey	Annual	Low	2018-19	58.6	63.4	Met	Worse	62.3	Not available
% of adults physically active	Public Health Outcomes Framework	Active Lives Survey	Annual	High	2018-19	63.9	64	Not Met	Worse	67.2	Not available
% 4-5 year olds classified as overweight/obese	Public Health Outcomes Framework	National Child Measurement Programme	Annual	Low	2019-20	21.7	22.0	Met	No change	23.0	Not available
% 10-11 year olds classified as overweight/obese	Public Health Outcomes Framework	National Child Measurement Programme	Annual	Low	2019-20	36.4	36	Not Met	No change	35.2	Not available
Smoking status at the time of delivery	Public Health Outcomes Framework	Smoking Status At Time of Delivery (SSATOD) HSCIC	Annual	Low	2019-20	5.8	8.0	Met	No change	10.4	11.2
Smoking prevalence - all adults - current smokers	Public Health Outcomes Framework	Annual Population Survey	Annual	Low	2019	13.9	14.8	Met	No change	13.9	Not available
Age 15 smoking prevalence placeholder	Public Health Outcomes Framework										
Smoking prevalance - routine and manual - current smokers	Public Health Outcomes Framework	Annual Population Survey	Annual	Low	2019	29.3	28.9	Not Met	No change	23.2	Not available
People invited for an NHS Healthcheck	NHS Healthcheck - Fingertips dashboard	https://fingertips.phe.org	Quarterly	High	2016/17 Q1 - 2020/21 Q2	33.1%	90%	Not Met	Worse	69.6%	70.7%
People taking up an NHS Healthcheck	NHS Healthcheck - Fingertips dashboard	https://fingertips.phe.org	Quarterly	High	2016/17 Q1 - 2020/21 Q2	55%	50%	Met	No change	46.7%	45.6%
People receiving an NHS Healthcheck	NHS Healthcheck - Fingertips dashboard	https://fingertips.phe.org	Quarterly	High	2016/17 Q1 - 2020/21 Q2	22%	43%	Not Met	Worse	32.5%	32.5%

Back to HWB Dashboard

PRIORITY 2: Reducing Loneliness and Social Isolation

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
% of adult social care users with as much social contact as they would like	Public Health Outcomes Framework/Adult Social Care Outcomes Framework	Adult Social Care Survey - England	Annual	High	2019-20	48.6	45.4	Met	No change	45.9	46.1
% of adult carers with as much social contact as they would like	Public Health Outcomes Framework/Adult Social Care Outcomes Framework	Carers Survey	Bi-Annual	High	2018-19	32.0	38.5	Not Met	No change	32.5	29.9
Placeholder - Loneliness and Social Isolation	NA	TBC	Annual							NA	NA

Back to HWB Dashboard

Priority 3: Promoting positive mental health and wellbeing in children and young people

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
Pupils with social, emotional and mental health needs (primary school age)	Children and Young People's Mental Health and Wellbeing	DFE Special Needs Education Statistics	Annual	Low	2018	2.4%	2.3%	Not Met	No change	2.2%	2.0%
Pupils with social, emotional and mental health needs (secondary school age)	Children and Young People's Mental Health and Wellbeing	DFE Special Needs Education Statistics	Annual	Low	2018	3.2%	3.3%	Met	No change	2.3%	2.1%
Pupils with social, emotional and mental health needs (all school age)	Children and Young People's Mental Health and Wellbeing	DFE Special Needs Education Statistics	Annual	Low	2018	3.0%	3.0%	Met	No change	2.4%	2.2%

Back to HWB Dashboard

Priority 4: Reducing deaths by suicide

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
Age-standardised mortality rate from suicide and injury of undetermined intent	Public Health Outcomes Framework	Public Health England (based on ONS)	Annual	Low	2017-19	9.9	8.25	Not met	No change	10.1	Not available

Back to HWB Dashboard

PRIORITY 5:Reducing the amount of alcohol people drink to safer levels

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
Successful treatment of alcohol treatment	Public Health Outcomes Framework	National Drug Treatment Monitoring System	Quarterly	High	Q2 2020-2021	24.5%	38.3%	Not Met	Worse	37.3%	Not available
Admission episodes for alcohol related conditions (DSR per 100,000)	Public Health Outcomes Framework	Local Alcohol Profiles for England (based on HSCIC HES)	Annual	Low	2018/19	567	599	Met	Worse	664	Not available

Back to HWB Dashboard

Priority 6: Living well with dementia

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
Estimated diagnosis rate for people with dementia	Public Health Outcomes Framework/NHS Outcomes Framework	NHS Digital	Monthly	High	Dec-20	62.5	66.7	Not Met	No change	62.5	
No. of Dementia friends	NA (Local only)	Local Report	Quarterly	High				NA	NA	Not available	Not available

PLACEHOLDER - Post diagnosis care

Back to HWB Dashboard

Priority 7: Increasing take up of breast and bowel screening and prevention services

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
Cancer screening coverage - bowel cancer	Public Health Outcomes Framework	Health and Social Care Information Centre (HSCIC)	Annual	High	2020	60.5%	52.0%	Met	Better	63.8%	NA
Cancer screening coverage - breast cancer	Public Health Outcomes Framework	Health and Social Care Information Centre (HSCIC)	Annual	High	2019	70.5%	70.0%	Met	No change	74.1%	NA

Back to HWB Dashboard

Priority 8: Reducing the number of people with tuberculosis

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
Incidence of TB (three year average)	Public Health Outcomes Framework	Public Health England.	Annual	Low	2017-19	17.4	30	Met	No change	8.6	6.0

Back to HWB Dashboard

Indicator number	93088
Outcomes Framework	Public Health Outcomes Framework

		Period	Reading	Fourth less deprived (IMD2015)	England
Indicator full name	Excess weight in adults				
Back to Priority 1		2012-14	61		64.6
Back to HWB Dashboard		2013-15	63.4	65.4	64.8
		2015-16	55.3	61.7	61.3
Data source	Active Lives Survey (previously Active People Survey) Sport England	2016-17	59.2	61.8	61.3
	* Note change in methodology in 2015-16	2017-18	55.7	63.5	62
		2018-19	58.6		62.3

| Denominator	Number of adults with valid height and weight recorded. Active lives Survey. Historical (before 2015-16) Number of adults with valid height and weight recorded. Data are from APS year 1, quarter 2 to APS year 3, quarter 1
Numerator	Number of adults with a BMI classified as overweight (including obese), calculated from the adjusted height and weight variables. Active Lives Survey. Previously (before 2015-16) from Active People survey. Adults are defined as overweight (including obese) if their body mass index (BMI) is greater than or equal to 25kg/m2.

Indicator number	93014
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	% Physically Active Adults

Data source	Until 2015 - Active People Survey, Sport England
	2015-16 onwards - Active Lives, Sport England
	* Note change in methodology in 2015-16
Denominator	Weighted number of respondents aged 19 and older with valid responses to questions on physical activity
Numerator	Weighted number of respondents aged 19 and over, with valid responses to questions on physical activity, doing at least 150 MIE minutes physical activity per week in bouts of 10 minutes or more in the previous 28 days.

Period	Reading	Fourth less deprived (IMD2015)	England
2012	59.7		56
2013	56.6		56
2014	54.7		57
2015	59.3	58.5	57
2015-16*	64.8	66.4	66.1
2016-17	68.7	67.2	66
2017-18	68.8	67	66.3
2018-19	63.9		67.2

Indicator number	20601
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Child excess weight in 4-5 year olds

Data source	National Child Measurement Programme
Denominator	Number of children in Reception (aged 4-5 years) measured in the National Child Measurement Programme (NCMP) attending participating state maintained schools in England.
Numerator	Number of children in Reception (aged 4-5 years) classified as overweight or obese in the academic year. Children are classified as overweight (including obese) if their BMI is on or above the 85th centile of the British 1990 growth reference (UK90) according to age and sex.

Period	Reading	Fourth less deprived (IMD2015)	England
2007/08	20.6	20.7	22.6
2008/09	22.5	21.6	22.8
2009/10	25.7	22.8	23.1
2010/11	25.7	22.2	22.6
2011/12	24.1	22	22.6
2012/13	21.8	21.6	22.2
2013/14	23.3	21.4	22.5
2014/15	22.6	21.3	21.9
2015/16	21.8		22
2016/17	22.9	22.6	22.6
2017/18	22.3		22.4
2018/19	22.5		22.6
2019/20	21.7		23

Indicator number	20602
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Child excess weight in 10-11 year olds

Data source	National Child Measurement Programme

Denominator	Number of children in Year 6 (aged 10-11 years) measured in the National Child Measurement Programme (NCMP) attending participating state maintained schools in England.
Numerator	Number of children in Year 6 (aged 10-11 years) classified as overweight or obese in the academic year. Children are classified as overweight (including obese) if their BMI is on or above the 85th centile of the British 1990 growth reference (UK90) according to age and sex.

| Period	Reading	Fourth less deprived (IMD2015)	England
2007/08	33.6	30.8	32.6
2008/09	33.1	31.3	32.6
2009/10	36.2	32.5	33.4
2010/11	34.4	32.7	33.4
2011/12	35.4	32.6	33.9
2012/13	34	32	33.3
2013/14	34	32.1	33.5
2014/15	35.6	32	33.2
2015/16	37.4	-	34.2
2016/17	32.9	32.6	34.2
2017/18	34.3		34.3
2018/19	34		34.3
2019/20	36.4		35.2

Indicator number	93085
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	% of women who smoke at the time of delivery

Data source	Calculated by KIT East from the Health and Social Care Information Centre's return on Smoking Status At Time of delivery (SSATOD)
Denominator	Number of maternities (estimated based on counts for CCGs)
Numerator	Number of women known to smoke at time of delivery (estimated based on counts for CCGs)

Period	Reading	Fourth less deprived (IMD2015)	England
2010/11	7.2	14.4	13.5
2011/12	8.4	13.8	13.2
2012/13	7.4	13.2	12.7
2013/14	8.5	13	12
2014/15	7.4	12	11.4
2015/16	8	11.9	10.6
2016/17	6.8	12	10.7
2017/18	6.3	12	10.8
2018/19	5.6		10.6
2019/20	5.6	11.2	10.4

Indicator number	92443				
Outcomes Framework	Public Health Outcomes Framework				

		Period	Reading	Fourth less deprived (IMD2015)	England
Indicator full name	**Smoking Prevalence in Adults - Current Smokers**				
Back to Priority 1		2012	20.6	*18.7*	19.3
Back to HWB Dashboard		2013	20.4	*17.7*	18.4
		2014	18.7	*17.9*	17.8
Data source	Annual Population Survey	2015	17.6	*16.7*	16.9
		2016	15.8	*13.8*	15.5
		2017	13.6	*13.2*	14.9
		2018	13		14.4
		2019	13.9		13.9

Denominator	Total number of respondents (with valid recorded smoking status) aged 18+ from the Annual Population Survey. The number of respondents has been weighted in order to improve representativeness of the sample. The weights take into account survey design and non-response.
Numerator	The number of persons aged 18 + who are self-reported smokers in the Annual Population Survey. The number of respondents has been weighted in order to improve representativeness of the sample. The weights take into account survey design and non-response.

Indicator number		92445			
Outcomes Framework	Local Tobacco Control Profiles				

| Indicator full name	Smoking prevalence in routine and manual occupations - Current smokers	Period	Reading	Fourth less deprived (IMD2015)	England

Back to Priority 1
Back to HWB Dashboard

Period	Reading	Fourth less deprived (IMD2015)	England
2012	32.1		31.1
2013	36.1		30.1
2014	26.6		29.6
2015	26.7		28.1
2016	30.4	26	26.5
2017	27.6	23.7	25.7
2018	28.3		25.4
2019	29.3		23.2

Data source Annual Population Survey

Denominator Total respondents with a self-reported smoking status aged 18-64 in the R&M group. Weighted to improve representativeness.

Numerator Respondents who are self-reported smokers in the R&M group. Weighted to improve representativeness

Indicator number	91111
Outcomes Framework	

Indicator full name	People invited for an NHS Healthcheck

Data source	PHE Fingertips - NHS Healthchecks

Denominator	Number of people aged 40-74 eligible for an NHS Health Check in the financial year.
Numerator	Number of people aged 40-74 eligible for an NHS Health Check who were offered an NHS Health Check up to the current quarter from quarter 1 2015

Period	Reading	Fourth less deprived (IMD2015)	England	Target
2016/17 Q1	5.82	4.82	4.43	5.00
2016/17 Q1 - 2016/17 Q2	8.65	9.87	8.77	10.00
2016/17 Q1 - 2016/17 Q3	10.69	13.23	12.42	15.00
2016/17 Q1 - 2016/17 Q4	11.99	17.54	16.66	20.00
2016/17 Q1 - 2017/18 Q1	14.40	22.86	21.05	25.00
2016/17 Q1 - 2017/18 Q2	16.79	27.82	25.41	30.00
2016/17 Q1 - 2017/18 Q3	18.45	31.23	29.18	35.00
2016/17 Q1 - 2017/18 Q4	19.89	34.54	33.70	40.00
2016/17 Q1 - 2018/19 Q1	21.61	38.94	38.05	45.00
2016/17 Q1 - 2018/19 Q2	22.71	43.50	42.44	50.00
2016/17 Q1 - 2018/19 Q3	23.49	47.42	46.41	55.00
2016/17 Q1 - 2018/19 Q4	24.75	51.71	51.12	60.00
2016/17 Q1 - 2019/20 Q1	26.08	56.55	55.77	65.00
2016/17 Q1 - 2019/20 Q2	28.37	61.50	60.49	70.00
2016/17 Q1 - 2019/20 Q3	29.80	65.92	64.74	75.00
2016/17 Q1 - 2019/20 Q4	33.14	70.16	68.71	80.00
2016/17 Q1 - 2020/21 Q1	33.14	70.23	68.91	85.00
2016/17 Q1 - 2020/21 Q2	33.14	70.75	69.64	90.00

Indicator number	91735
Outcomes Framework	
Indicator full name	People taking up an NHS Healthcheck

Data source	PHE Fingertips - NHS Healthchecks
Denominator	Number of people aged 40-74 eligible for an NHS Health Check who were offered an NHS Health Check up to the current quarter from quarter 1 2013
Numerator	Number of people aged 40-74 eligible for an NHS Health Check who received an NHS Health Check up to the current quarter from quarter 1 2015.

Period	Reading	Fourth less deprived (IMD2015)	England
2016/17 Q1	25.86	42.67	45.04
2016/17 Q1 - 2016/17 Q2	33.57	42.72	46.05
2016/17 Q1 - 2016/17 Q3	37.02	47.39	48.17
2016/17 Q1 - 2016/17 Q4	40.62	49.18	49.91
2016/17 Q1 - 2017/18 Q1	43.05	45.98	48.55
2016/17 Q1 - 2017/18 Q2	43.01	45.94	48.14
2016/17 Q1 - 2017/18 Q3	44.09	47.13	48.53
2016/17 Q1 - 2017/18 Q4	47.12	48.18	48.91
2016/17 Q1 - 2018/19 Q1	48.91	47.10	48.21
2016/17 Q1 - 2018/19 Q2	50.95	46.50	47.76
2016/17 Q1 - 2018/19 Q3	51.35	46.78	47.77
2016/17 Q1 - 2018/19 Q4	52.49	46.96	47.89
2016/17 Q1 - 2019/20 Q1	54.39	46.54	47.55
2016/17 Q1 - 2019/20 Q2	55.34	46.32	47.23
2016/17 Q1 - 2019/20 Q3	57.16	46.13	47.03
2016/17 Q1 - 2019/20 Q4	55.02	45.79	46.83
2016/17 Q1 - 2020/21 Q1	55.02	45.77	46.78
2016/17 Q1 - 2020/21 Q2	55.02	45.61	46.66

Indicator number	91112
Outcomes Framework	
Indicator full name	People receiving an NHS Healthcheck

Data source	PHE Fingertips - NHS Healthchecks
Denominator	Number of people aged 40-74 eligible for an NHS Health Check who were offered an NHS Health Check up to the current quarter from quarter 1 2013
Numerator	Number of people aged 40-74 eligible for an NHS Health Check who received an NHS Health Check up to the current quarter from quarter 1 2015.

| Period	Reading	Fourth less deprived (IMD2015)	England	TARGET
2016/17 Q1	1.50	2.06	1.99	2.00
2016/17 Q1 - 2016/17 Q2	2.90	4.22	4.04	2.50
2016/17 Q1 - 2016/17 Q3	3.96	6.27	5.98	5.00
2016/17 Q1 - 2016/17 Q4	4.87	8.63	8.32	7.50
2016/17 Q1 - 2017/18 Q1	6.20	10.51	10.22	10.00
2016/17 Q1 - 2017/18 Q2	7.22	12.78	12.23	12.50
2016/17 Q1 - 2017/18 Q3	8.13	14.72	14.16	15.00
2016/17 Q1 - 2017/18 Q4	9.37	16.64	16.48	17.50
2016/17 Q1 - 2018/19 Q1	10.57	18.34	18.35	20.00
2016/17 Q1 - 2018/19 Q2	11.57	20.23	20.27	22.50
2016/17 Q1 - 2018/19 Q3	12.06	22.18	22.17	25.00
2016/17 Q1 - 2018/19 Q4	12.99	24.28	24.48	27.50
2016/17 Q1 - 2019/20 Q1	14.18	26.32	26.52	30.00
2016/17 Q1 - 2019/20 Q2	15.70	28.48	28.57	32.50
2016/17 Q1 - 2019/20 Q3	17.03	30.41	30.45	35.00
2016/17 Q1 - 2019/20 Q4	18.23	32.13	32.18	37.50
2016/17 Q1 - 2020/21 Q1	18.24	32.14	32.23	40.00
2016/17 Q1 - 2020/21 Q2	18.24	32.27	32.50	42.50

Indicator number	90280
Outcomes Framework	Public Health Outcomes Framework/Adult Social Care Outcome Framework
Indicator full name	**% of adult social care users who have as much social contact as they would like according to the Adult Social Care Users Survey**

Back to Priority 2
Back to HWB Dashboard

Data source	Adult Social Care Survey - England
	http://content.digital.nhs.uk/catalogue/PUB21630 - Annex Tables

Denominator	The number of people responding to the question "Thinking about how much contact you've had with people you like, which of the following statements best describes your social situation?"
Numerator	All survey respondents who responded to the question (adult social care users identified by LA) NHS Digital - Personal Social Services Adult Social Care Survey England

Period	Reading	Fourth less deprived (IMD2015)	England
2010/11	41.4	-	41.9
2011/12	45.4	-	42.3
2012/13	43.9	-	43.2
2013/14	44.9	-	44.5
2014/15	41.5	-	44.8
2015/16	43.2	-	45.4
2016/17	45.2	-	45.4
2017/18	41.4		46
2018/19	47.1	*46.9*	45.9
2019/20	48.6	*46.1*	45.9

| Indicator number	90638				
Outcomes Framework	Public Health Outcomes Framework/Adult Social Care Outcome Framework				
Indicator full name	% of adult carers who have as much social contact as they would like according to the Adult Social Care Users Survey	Period	Reading	Fourth less deprived (IMD2015)	England
Back to Priority 2 Back to HWB Dashboard		2012/13	52.2		41.3
		2014/15	36.6		38.5
		2016/17	36.2	32.4	35.5
Data source	Carers Survey	2018/19	32		32.5

Denominator	The number of people responding to the question "Thinking about how much contact you've had with people that you like, which of the following statements best describes your social situation?", with the answer "I have as much social contact as I want with people I like" divided by the total number of responses to the same question.
Numerator	All survey respondents who responded to the question (adult social care users identified by LA) NHS Digital - Personal Social Services Adult Social Care Survey England

Indicator number	91871
Outcomes Framework	Children and Young People's Mental Health and Wellbeing
Indicator full name	Pupils with social, emotional and mental health needs (primary school age)

Period	Reading	IMD 4th less deprived decile	England
2016	2%	2%	2%
2017	2%	2%	2%
2018	2%	2%	2%

Data Source	DFE Special Needs Education Statistics
Denominator	Total pupils (LA tabulations)
	https://www.gov.uk/government/collections/statistics-special-educational-needs-sen
Numerator	Number of pupils with statements of SEN where primary need is social, emotional and mental health

Indicator number	91871
Outcomes Framework	Children and Young People's Mental Health and Wellbeing
Indicator full name	Pupils with social, emotional and mental health needs (secondary school age)

| Period	Reading	IMD 4th less deprived decile	England
2016	3%	2%	2%
2017	3%	2%	2%
2018	3%	2%	2%

Data Source	DFE Special Needs Education Statistics
Denominator	Total pupils (LA tabulations)
	https://www.gov.uk/government/collections/statistics-special-educational-needs-sen
Numerator	Number of pupils with statements of SEN where primary need is social, emotional and mental health

| Indicator number	91871
Outcomes Framework	Children and Young People's Mental Health and Wellbeing
Indicator full name	Pupils with social, emotional and mental health needs (all school age)

Period	Reading	IMD 4th less deprived decile	England
2015	3%	2%	2%
2016	3%	2%	2%
2017	3%	2%	2%
2018	3%	2%	2%

Data Source	DFE Special Needs Education Statistics
Denominator	Total pupils (LA tabulations)
Numerator	Number of pupils with statements of SEN where primary need is social, emotional and mental health

https://www.gov.uk/government/collections/statistics-special-educational-needs-sen

Indicator number	41001.00
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Age-standardised mortality rate from suicide and injury of undetermined intent per 100,000 population

|	
Data Source	Public Health England (based on ONS)
Denominator	ONS 2011 census based mid-year population estimates
Numerator	Number of deaths from suicide and injury from undetermined intent ICD10 codes X60-X84 (age 10+), Y10-34 (age 15+).

Period	Reading	4th less deprived IMD 2015	England
2001 - 03	11.5	-	10.3
2002 - 04	10.7	-	10.2
2003 - 05	10.4	-	10.1
2004 - 06	10	-	9.8
2005 - 07	9.6	-	9.4
2006 - 08	11.2	-	9.2
2007 - 09	10.9	-	9.3
2008 - 10	8.8	-	9.4
2009 - 11	7.4	-	9.5
2010 - 12	7.7	-	9.5
2011 - 13	9.3	-	9.8
2012 - 14	9.8	-	10
2013 - 15	11	10.5	10.1
2014 - 16	9.9	10.2	9.9
2015 - 17	8	9.6	9.6
2016 -18	7.2		9.6
2017-19	9.9		10.1

Indicator number	92447
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Successful completion of alcohol treatment

Data Source	National Drug Treatment Monitoring System
Denominator	Total number of adults in structured alcohol treatment in a one year period
Numerator	Adults that complete treatment for alcohol dependence who do not re-present to treatment within six months

Period	Reading	IMD 4th less deprived decile	England
2010	29.30	34.30	31.40
2011	54.30	34.60	34.80
2012	41.70	36.50	37.10
2013	42.50	37.70	37.50
2014	36.00	36.20	38.40
2015	38.30	40.50	38.40
2016	44.70	38.20	38.70
2017	36.40	37.60	38.90
2018 Q1	36.36	37.60	38.92
2018 Q2	35.80		38.90
2018 Q3	36.40		38.50
2018 Q4	44.30		37.80
2019 Q1	45.00		37.80
2019 Q2	43.20		38.20
2019 Q3	38.80		38.00
2019 Q4	39.50		37.90
2020 Q1	31.10		37.80
2020 Q2	24.50		37.30

(NDTMS DOMES)

| Indicator number	91414
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Admission episodes for alcohol-related conditions per 100,000 people

Data Source	Health and Social Care information Centre - Hospital Episode Statistics.
	Via Local Alcohol Profiles for England
Denominator	Mid-Year Population Estimates (ONS)
Numerator	

Admissions to hospital where primary diagnosis is an alcohol-related condition or a seconday diagnosis is an alcohol-related external cause. Uses attributable fractions to estimate.

Period	Reading	IMD 4th less deprived decile	England
2008/09	424	565	606
2009/10	442	601	629
2010/11	466	598	643
2011/12	444	601	645
2012/13	511	585	630
2013/14	568	603	640
2014/15	541	597	635
2015/16	599	612	647
2016/17	602	602	636
2017/18	534	632	600
2018/19	567	600	664

| Indicator number	92949
Outcomes Framework	Public Health Outcomes Framework / NHS Outcomes Framework
Indicator full name	Estimated diagnosis rate for people with dementia

Back to Priority 6
Back to HWB Dashboard

Data Source	NHS Digital

Denominator	Applying the reference rates to the registered population yields the number of people aged 65+ one would expect to have dementia within the subject population where:

| Numerator	**Registered population** Patients aged 65+ registered for General Medical Services, counts by 5-year age and sex band from the National Health Application and Infrastructure Services (NHAIS / Exeter) system; extracted on the first day of each month following the reporting period end date of the numerator. **Reference rates: sampled dementia prevalence**

Period	Reading	IMD 4th less deprived decile	England
31/03/2018		67.4	66.5	67.5
30/04/2018		68	66.4	67.3
31/05/2018		67.5	66.2	67.3
30/06/2018		67.6	66.5	67.6
31/07/2018		67.3	66.6	67.8
31/08/2018		67.1	66.6	67.8
30/09/2018		68.8	67.1	68.2
31/10/2018		68.7	67	67.9
30/11/2018		69.4	67.4	68.2
31/12/2018		69.8	67.3	68
31/01/2019		69.7	67.4	67.9
28/02/2019		70.1	67.4	67.9
31/03/2019		71.1	68.3	68.7
30/04/2019		70.9	67.8	68.4
31/05/2019		70.7	69.1	68.6
30/06/2019		70.7	69.3	68.7
31/07/2019		71.2	69.4	69
31/08/2019		70.9	69.8	69.1
30/09/2019		70.5	69.6	69.1
31/10/2019		69.7	68.9	68.4
30/11/2019		69.4	68.9	68.5
31/12/2019		69.4	68.6	68.1
31/01/2020		69.6	68.3	67.9
29/02/2020		69.2		67.6
31/03/2020		68.5		67.4
30/04/2020		65.6		65.4
31/05/2020		64.1		64
30/06/2020		63.1		63.5
31/07/2020		62.7		63.3
31/08/2020		62.3		63.1
30/09/2020		63		63
31/10/2020		62.3		62.9
30/11/2020		62.3		62.7
31/12/2020		62.5		62.5

Indicator number	NA
Outcomes Framework	NA
Indicator full name	No. of Dementia Friends

Data Source	Locally Recorded

Definition No. of people who have completed a 45 minute training session and agreed to be a dementia friend

Period	Actual 2019/20	Target 2019/20
Jan-19	857	800
Mar-19	857	2,500
Jun-19	7859	5,000
Sep-19	8,182	7500
Jan-20	8,548	10,000

| Indicator number	91720.00
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Cancer screening coverage - bowel cancer

Data Source	Health and Social Care Information Centre (Open Exeter)/Public Health England
Denominator	Number of people aged 60-74 resident in the area (determined by postcode of residence) who are eligible for bowel screening at a given point in time (excluding those with no functioning colon (e,g, after surgery) or have made an informed decision to opt out.
Numerator	Number of people aged 60-74 resident in the area (determined by postcode of residence) with a screening test result recorded in the previous 2½ years

Target is the NHS England minimum coverage standard
https://www.england.nhs.uk/wp-content/uploads/2017/04/service-spec-26.pdf

Period	Reading	Fourth less deprived	England
2015	55.3	58.4	57.1
2016	55.8	59.5	57.9
2017	56.5	60.6	58.8
2018	56	60.6	59
2019	56.5		60.1
2020	60.5		63.8

| Indicator number	22001
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Cancer screening coverage - breast cancer

Data Source	Health and Social Care Information Centre (Open Exeter)/Public Health England
Denominator	Number of women aged 53-70 resident in the area (determined by postcode of residence) who are eligible for breast screening at a given point in time.
Numerator	Number of women aged 53-70 resident in the area (determined by postcode of residence) with a screening test result recorded in the previous three years

Target is the NHS England minimum coverage standard https://www.england.nhs.uk/wp-content/uploads/2017/04/service-spec-24.pdf

Period	Reading	4th less deprived IMD 2015	England
2010	73.6	78.6	76.9
2011	72.5	79.2	77.1
2012	73.6	79	76.9
2013	74.3	78.3	76.3
2014	73.3	78.1	75.9
2015	73.4	77.7	75.4
2016	73.4	77.8	75.5
2017	72.9	77.6	75.4
2018	71.2	77	74.9
2019	70.1		74.5
2020	70.5		74.1

Indicator number	34
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Incidence of TB (three year average)

Data Source	Enhanced Tuberculosis Surveillance system (ETS) and Office for National Statistics (ONS)
Denominator	Sum of the Office for National Statistics (ONS) mid-year population estimates for each year of the three year time period
Numerator	Sum of the number of new TB cases notified to the Enhanced Tuberculosis Surveillance system (ETS) over a three year time period

Period	Reading	4th less deprived IMD 2015	England
2000 - 02	23.1	7.4	12.7
2001 - 03	25.4	7.8	13.1
2002 - 04	26.4	8.2	13.5
2003 - 05	30.3	8.6	14.1
2004 - 06	31.1	8.9	14.7
2005 - 07	35.5	9.4	15
2006 - 08	35.4	9.7	15
2007 - 09	37.9	10	15.1
2008 - 10	38.4	9.8	15.1
2009 - 11	36.4	9.5	15.2
2010 - 12	33	9.5	15.1
2011 - 13	34.1	9.2	14.7
2012 - 14	36.3	8.8	13.5
2013 - 15	34.7	7.7	11.9
2014 - 16	26.4	7.1	10.9
2015-2017	20.9	6.3	9.9
2016-2018	17.8	6	9.2
2017-2019	17.4		8.6