| Priority | Indicator | Target Met/Not Met | Direction of Travel |
|---|--|-----------------------|---------------------|
| | 2.12 Excess weight in adults | Met | Better |
| | 2.13i % of adults physically active | Met | Better |
| | 2.06i % 4-5 year olds classified as overweight/obese | Not Met | Better |
| | 2.06ii % 10-11 year olds classified as overweight/obese | Met | Worse |
| 1. Supporting people to make healthy | 2.03 Smoking status at the time of delivery | Met | Better |
| <u>lifestyle choices</u> | 2.14 Smoking prevalence - all adults - current smokers | Met | Better |
| | 2.14 Smoking prevalance - routine and manual - current smokers | Met | Better |
| | 2.22iii Cumulative % of those aged 40-74 offered a healthcheck 2014-2019 | Not Met | No change |
| | 2.22 iv Cumulative % of those offered a healthcheck who received a healthcheck 2014-2019 | Not Met | No change |
| | 2.22 v Cumulative % of those aged 40-74 who received a healthcheck 2014-2019 | Not Met | No change |
| | 1.18i/11 % of adult social care users with as much social contact as they would like | Not Met | Worse |
| 2. Reducing loneliness and social isolation | 1.18ii/11 % of adult carers with as much social contact as they would like | Not Met | No change |
| | Placeholder - Loneliness and Social Isolation | NA | NA |
| | Pupils with social, emotional and mental health needs (primary school age) | Not Met | No change |
| 3.Promoting positive mental health and wellbeing in children and young people | Pupils with social, emotional and mental health needs (secondary school age) | Met | Better |
| | Pupils with social, emotional and mental health needs (all school age) | Met | No change |
| 4. Reducing deaths by suicide | 4.10 Age-standardised mortality rate from suicide and injury of undetermined intent | Met | Better |
| 5.Reducing the amount of alcohol | 2.15iii Successful treatment of alcohol treatment | Not Met | Better |
| people drink to safer levels | 2.18 Admission episodes for alcohol related conditions (DSR per 100,000) | Met | Better |
| | 4.16/2.6i Estimated diagnosis rate for people with dementia | Met | no change |
| 6.Living well with dementia | No. Dementia Friends (Local Indicator) | Met | Better |
| | Placeholder - ASCOF measure of post-diagnosis care | NA | NA |
| 7.Increasing take up of breast and | 2.20iii Cancer screening coverage - bowel cancer | Met | No change |
| bowel screening and prevention services | 2.20i Cancer screening coverage - breast cancer | Met | No change |
| 8.Reducing the number of people with tuberculosis | 3.05ii Incidence of TB (three year average) | Met | Better |

| PRIORITY 1: Supportin | g people to make heal Framework | thy lifestyle cho Source | DiCES Frequency updated | Good performanc low/high | | Most recent performance | Target | Met/Not Met | DOT | England Average | 2015 Deprivation Decile Average |
|--|---|---|--------------------------------|--------------------------------|--------------|----------------------------|--------|-------------|-----------|--------------------|--|
| 2.12 Excess weight in adults | Public Health Outcomes Framework | Active People Survey | Annual | Low | 2016-17 | 59.2 | 63.4 | Met | Better | 61.3 | 61.8 |
| 2.13i % of adults physically active | Public Health Outcomes Framework | Active Lives Survey National Child | Annual | High | 2016-17 | 68.7 | 64 | Met | Better | 66.0 | 67.2 |
| 2.06i % 4-5 year olds classified as overweight/obese | Public Health Outcomes Framework | Measurement Programme National Child | Annual | Low | 2017-18 | 22.3 | 22.0 | Not Met | Better | 22.4 | Not available |
| 2.06ii % 10-11 year olds classified as overweight/obese | Public Health Outcomes Framework | Measurement Programme | Annual | Low | 2017-18 | 34.3 | 36 | Met | Worse | 34.3 | Not available |
| 2.03 Smoking status at the time of delivery | Public Health Outcomes Framework | Smoking Status At Time of Delivery (SSATOD) HSCIC | Annual | Low | 2017-18 | 6.3 | 8.0 | Met | Better | 10.8 | 12.0 |
| 2.14 Smoking prevalence all adults | Public Health Outcomes Framework | Annual Population | Annual | Low | 2017 | 13.6 | 14.8 | Met | Better | 14.9 | 13.2 |
| 2.14 Smoking prevalance - routine and manual - current smokers | Public Health Outcomes Framework | Annual Population Survey | Annual | Low | 2017 | 27.6 | 28.9 | Met | Better | 25.7 | 23.7 |
| 2.22iii Cumulative % of those aged 40- 74 offered a healthcheck 2014-2019 | Public Health Outcomes Framework | www.healthcheck.nhs.ul | Annual | High | 2014-2019 Q3 | 51.3% | 100% | Not Met | Worse | 81.0% | Not available |
| 2.22 iv Cumulative % of those offered a healthcheck who received a healthcheck 2014-2019 | Public Health Outcomes Framework | www.healthcheck.nhs.uk | <u>«</u> Annual | High | 2014-2019 Q2 | 50% | 50% | Not Met | No change | 48.3% | Not available |
| 2.22 v Cumulative % of those aged 40-7 who received a healthcheck 2014-2019 | ⁴ Public Health Outcomes Framework | www.healthcheck.nhs.uk | <u>«</u> Annual | High | 2014-2019 Q2 | 26% | 50% | Not Met | Worse | 28.9% | Not available |

| PRIORITY 2: Reducing | Loneliness and Social Is | solation | | | | | | | | | |
|--|---|-------------------------------------|----------------------|---------------------------------|---------|-------------------------|--------|-------------|-----------|--------------------|--|
| Indicator Title | Framework | Source | Frequency updated | Good performance low/high | | Most recent performance | Target | Met/Not Met | DOT | England Average | 2015 Deprivation Decile Average |
| 1.18i/11 % of adult social care users with as much social contact as they would like | Public Health Outcomes Framework/Adult Social Care Outcomes Framework | Adult Social Care Survey England | - Annual | High | 2017-18 | 41.4 | 45.4 | Not Met | Worse | 46.0 | NA |
| 1.18ii/11 % of adult carers with as much social contact as they would like | Public Health Outcomes Framework/Adult Social Care Outcomes Framework | Carers Survey | Bi-Annual | High | 2016-17 | 36.2 | 38.5 | Not Met | No change | 35.5 | 32.4 |
| Placeholder - Loneliness and Social Isolation | NA | TBC | Annual | | | | | | | NA | NA |

| Priority 3: Promoting Indicator Title | positive mental health Framework | and wellbeing Source | in childr Frequency updated | Good performance low/high | Most recent | Most recent performance | Target | Met/Not Met | DOT | England Average | 2015 Deprivation Decile Average |
|--|--|---|-----------------------------------|---------------------------------|-------------|-------------------------|--------|-------------|-----------|--------------------|--|
| Pupils with social, emotional and mental health needs (primary school age) | Children and Young People's Mental Health and Wellbeing | DFE Special Needs Education Statistics | Annual | Low | 2018 | 2.4% | 2.3% | Not Met | No change | 2.2% | 2.0% |
| Pupils with social, emotional and mental health needs (secondary school age) | Children and Young People's Mental Health and Wellbeing | DFE Special Needs Education Statistics | Annual | Low | 2018 | 3.2% | 3.3% | Met | Better | 2.3% | 2.1% |
| Pupils with social, emotional and mental health needs (all school age) | Children and Young People's Mental Health and Wellbeing | DFE Special Needs Education Statistics | Annual | Low | 2018 | 3.0% | 3.0% | Met | No change | 2.4% | 2.2% |

| Priority 4: Reducing d | leaths by suicide | | | | | | | | | | |
|---|----------------------------------|---|----------------------|---------------------------------|---------|-------------------------|--------|-------------|--------|--------------------|--|
| Indicator Title | Framework | Source | Frequency updated | Good performance low/high | | Most recent performance | Target | Met/Not Met | DOT | England Average | 2015 Deprivation Decile Average |
| 4.10 Age-standardised mortality rate from suicide and injury of undetermined intent | Public Health Outcomes Framework | Public Health England (based on ONS) | Annual | Low | 2015-17 | 8.0 | 8.25 | Met | Better | 9.6 | 9.6 |

| PRIORITY 5:Reducing the amount of alcohol people drink to safer levels | | | | | | | | | | | |
|--|----------------------------------|---|----------------------|---------------------------------|------------|-------------------------|--------|-------------|--------|--------------------|--|
| Indicator Title | Framework | Source | Frequency updated | Good performance low/high | | Most recent performance | Target | Met/Not Met | DOT | England Average | 2015 Deprivation Decile Average |
| 2.15iii Successful treatment of alcohol treatment | Public Health Outcomes Framework | National Drug Treatment Monitoring System | Quarterly | High | Q2 2018-19 | 35.8% | 38.3% | Not Met | Better | 38.9% | 37.6% |
| 2.18 Admission episodes for alcohol related conditions (DSR per 100,000) | Public Health Outcomes Framework | Local Alcohol Profiles for England (based on HSCIC HES) | | Low | 2017-18 | 534 | 599 | Met | Better | 632 | 600 |

| Priority 6: Living well with dementia | | | | | | | | | | | |
|---|--|--------------|----------------------|---------------------------------|------------------------------|-------------------------|--------|-------------|-----------|--------------------|--|
| Indicator Title | Framework | Source | Frequency updated | Good performance low/high | Most recent reporting period | Most recent performance | Target | Met/Not Met | DOT | England Average | 2015 Deprivation Decile Average |
| 4.16/2.6i Estimated diagnosis rate for people with dementia | Public Health Outcomes Framework/NHS Outcomes Framework | NHS Digital | Monthly | High | Oct-18 | 69.7 | 67.7 | Met | no change | 67.9 | 67.4 |
| No. of Dementia friends | NA (Local only) | Local Report | Quarterly | High | Sep-18 | 857 | 800 | Met | Better | Not availab | le Not available |

PLACEHOLDER - Post diagnosis care

| Priority 7: Increasing | take up of breast and b | owel screening | and pre | evention | service | S | | | | | |
|---|----------------------------------|---------------------------|----------------------|---------------------------------|---------|-------------------------|--------|-------------|-----------|--------------------|--|
| Indicator Title | Framework | Source | Frequency updated | Good performance low/high | | Most recent performance | Target | Met/Not Met | DOT | England Average | 2015 Deprivation Decile Average |
| 2.20iii Cancer screening coverage - bowel cancer | Public Health Outcomes Framework | Health and Social Care In | nt Annual | High | 2018 | 56% | 52% | Met | No change | 0.6 | 60.60% |
| 2.20i Cancer screening coverage - breast cancer | Public Health Outcomes Framework | Information Centre | Annual | High | 2018 | 71% | 70% | Met | No change | 74.9 | 77 |

| Priority 8: Reducing the number of people with tuberculosis | | | | | | | | | | | |
|---|----------------------------------|------------------------|----------------------|-----|-----------|-------------------------|--------|-------------|--------|--------------------|--|
| Indicator Title | Framework | Source | Frequency updated | | | Most recent performance | Target | Met/Not Met | DOT | England Average | 2015 Deprivation Decile Average |
| 3.05ii Incidence of TB (three year average) | Public Health Outcomes Framework | Public Health England. | Annual | Low | 2015-2017 | 20.9 | 30 | Met | Better | 9.9 | 6.3 |

| Indicator number | 2.12 | | |
|------------------------------|--|---------|---------|
| Outcomes Framework | Public Health Outcomes Framework | | |
| Indicator full name | Excess weight in adults | Period | Reading |
| Back to Priority 1 | | 2012-14 | |
| Back to HWB Dashboard | | 2013-15 | |
| | | 2015-16 | |
| Data source | Active Lives Survey (previously Active People Survey) Sport England | 2016-17 | |
| | * Note change in methodology in 2015-16 | | |
| Denominator | Number of adults with valid height and weight recorded. Active lives Survey. Historical (before 2015-16) Number of adults with valid height and weight recorded. Data are from APS year 1, quarter 2 to APS year 3, quarter 1 | | |
| Numerator | Number of adults with a BMI classified as overweight (including obese), calculated from the adjusted height and weight variables. Active Lives Survey. Previously (before 2015-16) from Active People survey. Adults are defined as overweight (including obese) if their body mass index (BMI) is greater than or equal to 25kg/m2. | | |
| 68 66 64 62 60 | Fourth less deprived (IMD2015) England | | |
| 58 - 56 - 54 - 52 - | | | |

50 \downarrow

2012-14

2013-15

2015-16

2016-17

Fourth less deprived (IMD2015)

61.7

61.8

61 63.4 *65.4*

55.3

59.2

England


64.6

64.8

61.3

61.3

| Indicator number | 2.13 | | | | | | |
|---------------------------|--|----------|---------|----------|----------|--------------------------------------|---------|
| Outcomes Framework | Public Health Outcomes Framework | | | | | | |
| Indicator full name | % Physically Active Adults | Period | Reading | Lower CI | Upper CI | Fourth less deprived (IMD2015) | England |
| Back to Priority 1 | | 2012 | 59.7 | 55.3 | 64.2 | | 56 |
| Back to HWB Dashboard | | 2013 | 56.6 | 52.3 | 60.8 | | 56 |
| | | 2014 | 54.7 | 50.4 | 58.9 | | 57 |
| Data source | Until 2015 - Active People Survey, Sport England | 2015 | 59.3 | 55 | 63.6 | 58.5 | 57 |
| | 2015-16 onwards - Active Lives, Sport England | 2015-16* | 64.8 | 61.7 | 67.7 | 66.4 | 66.1 |
| | * Note change in methodology in 2015-16 | 2016-17 | 68.7 | 65.8 | 71.5 | 67.2 | 66 |
| Denominator | Weighted number of respondents aged 19 and older with valid responses to questions on physical activity Weighted number of respondents aged 19 and over, with valid responses to questions | | | | | | |




Numerator

on physical activity, doing at least 150 MIE minutes physical activity per week in

| Indicator number | 2.06i |
|--|--------------------------------------|
| Outcomes Framework | Public Health Outcomes Framework |
| Indicator full name | Child excess weight in 4-5 year olds |
| Back to Priority 1 Back to HWB Dashboard | |

Number of children in Reception (aged 4-5 years) measured in the National Child Denominator Measurement Programme (NCMP) attending participating state maintained schools in England. Number of children in Reception (aged 4.5 years) classified as everywight or obesign


Number of children in Reception (aged 4-5 years) classified as overweight or obese in the academic year. Children are classified as overweight (including obese) if their BMI is on or above the 85th centile of the British 1990 growth reference (UK90) according to age and sex.



| Period | Reading | Lower CI | Upper CI | Fourth less deprived (IMD2015) | England |
|---------|---------|----------|----------|--------------------------------|---------|
| 2007/08 | 20.6 | 18.5 | 22.9 | 20.7 | 22.6 |
| 2008/09 | 22.5 | 20.5 | 24.6 | 21.6 | 22.8 |
| 2009/10 | 25.7 | 23.7 | 27.9 | 22.8 | 23.1 |
| 2010/11 | 25.7 | 23.7 | 27.8 | 22.2 | 22.6 |
| 2011/12 | 24.1 | 22.1 | 26.1 | 22 | 22.6 |
| 2012/13 | 21.8 | 20 | 23.9 | 21.6 | 22.2 |
| 2013/14 | 23.3 | 21.3 | 25.5 | 21.4 | 22.5 |
| 2014/15 | 22.6 | 20.9 | 24.5 | 21.3 | 21.9 |
| 2015/16 | 21.8 | 20.1 | 23.6 | - | 22 |
| 2016/17 | 22.9 | 21.1 | 24.7 | 22.6 | 22.6 |
| 2017-18 | 22.3 | 20.6 | 24.1 | | 22.4 |

| Indicator number Outcomes Framework | 2.06i Public Health Outcomes Framework |
|--|--|
| Indicator full name | Child excess weight in 10-11 year olds |
| Back to Priority 1 Back to HWB Dashboard | |

| Data source | National Child Measurement Programme |
|-------------|--|
| | |
| | Number of children in Year 6 (aged 10-11 years) measured in the National Child |
| Denominator | Measurement Programme (NCMP) attending participating state maintained schools in |
| | England. Number of children in Year 6 (aged 10-11 years) classified as overweight or obese in |
| | the academic year. Children are classified as overweight (including obese) if their BMI |
| Numerator | is on or above the 85th centile of the British 1990 growth reference (UK90) according |
| | to age and sex. |



| Period | Reading | Lower CI | Upper CI | Fourth less deprived (IMD2015) | England |
|---------|---------|----------|----------|--------------------------------|---------|
| 2007/08 | 33.6 | 31 | 36.2 | 30.8 | 32.6 |
| 2008/09 | 33.1 | 30 | 35.7 | 31.3 | 32.6 |
| 2009/10 | 36.2 | 33.6 | 38.8 | 32.5 | 33.4 |
| 2010/11 | 34.4 | 32 | 36.9 | 32.7 | 33.4 |
| 2011/12 | 35.4 | 32.9 | 37.9 | 32.6 | 33.9 |
| 2012/13 | 34 | 31.6 | 36.5 | 32 | 33.3 |
| 2013/14 | 34 | 32.2 | 37.1 | 32.1 | 33.5 |
| 2014/15 | 35.6 | 33.2 | 38 | 32 | 33.2 |
| 2015/16 | 37.4 | 35.1 | 39.7 | - | 34.2 |
| 2016/17 | 32.9 | 30.7 | 35.2 | 32.6 | 34.2 |
| 2017/18 | 34.3 | 32.1 | 36.6 | | 34.3 |

| Indicator number Outcomes Framework | 2.03 Public Health Outcomes Framework |
|--|--|
| Indicator full name | % of women who smoke at the time of delivery |
| Back to Priority 1 Back to HWB Dashboard | |

| | Calculated by KIT East from the Health and Social Care Information Centre's return on |
|-------------|---|
| Data source | Smoking Status At Time of delivery (SSATOD) |
| | |


Denominator

Number of maternities (estimated based on counts for CCGs)

Number of women known to smoke at time of delivery (estimated based on counts for CCGs)


Numerator

CCGs)



| Period | Reading | Lower CI | Upper CI | deprived (IMD2015) | England |
|---------|---------|----------|----------|--------------------|---------|
| 2010/11 | 7.2 | 6.1 | 8.2 | 14.4 | 13.5 |
| 2011/12 | 8.4 | 7.4 | 9.6 | 13.8 | 13.2 |
| 2012/13 | 7.4 | 6.3 | 8.2 | 13.2 | 12.7 |
| 2013/14 | 8.5 | 7.4 | 9.6 | 13 | 12 |
| 2014/15 | 7.4 | 6.4 | 8.5 | 12 | 11.4 |
| 2015/16 | 8 | 7 | 9.1 | 11.9 | 10.6 |
| 2016/17 | 6.8 | 5.9 | 7.9 | 12 | 10.7 |
| 2017/18 | 6.3 | 5.4 | 7.4 | 12 | 10.8 |

| Indicator number | 2.14 | |
|--|--|-------|
| Outcomes Framework | Public Health Outcomes Framework | |
| Indicator full name | Smoking Prevalence in Adults - Current Smokers | Perio |
| Back to Priority 1 Back to HWB Dashboard | | |
| Data source | Annual Population Survey | |
| | | |
| Denominator | Total number of respondents (with valid recorded smoking status) aged 18+ from the Annual Population Survey. The number of respondents has been weighted in order to improve representativeness of the sample. The weights take into account survey design and non-response. | |
| Numerator | The number of persons aged 18 + who are self-reported smokers in the Annual Population Survey. The number of respondents has been weighted in order to improve representativeness of the sample. The weights take into account survey | |




| Period | | Reading | Lower CI | Upper CI | Fourth less deprived (IMD2015) | England |
|--------|------|---------|----------|----------|--------------------------------|---------|
| : | 2012 | 20.6 | 18.4 | 22.8 | 18.7 | 19.3 |
| : | 2013 | 20.4 | 18.2 | 22.6 | 17.7 | 18.4 |
| : | 2014 | 18.7 | 16.7 | 20.7 | 17.9 | 17.8 |
| | 2015 | 17.6 | 15.5 | 19.8 | 16.7 | 16.9 |
| : | 2016 | 15.8 | 13.5 | 18.1 | 13.8 | 15.5 |
| | 2017 | 13.6 | 10.9 | 16.3 | 13.2 | 14.9 |

| Indicator number | NA |
|--|--|
| Outcomes Framework | Local Tobacco Control Profiles |
| Indicator full name | Smoking prevalence in routine and manual occupations - Current smokers |
| Back to Priority 1 Back to HWB Dashboard | |
| back to TIVID bashboard | |

| Period | Readin | ıg Lower | CI | Upper CI | deprived (IMD2015) | England |
|--------|--------|----------|------|----------|--------------------|---------|
| 2 | 2012 | 32.1 | 26.4 | 37.8 | NO DATA | 31.1 |
| 2 | 2013 | 36.1 | 30.1 | 42.1 | NO DATA | 30.1 |
| 2 | 2014 | 26.6 | 21.2 | 32 | NO DATA | 29.6 |
| 2 | 2015 | 26.7 | 20.6 | 32.7 | NO DATA | 28.1 |
| 2 | 2016 | 30.4 | 23 | 37.9 | 26 | 26.5 |
| 2 | 2017 | 27.6 | 19.4 | 35.8 | 23.7 | 25.7 |
| | | | | | | |

| Data source | Annual Population Survey |
|-------------|--------------------------|
|-------------|--------------------------|

| Danaminatan | Total respondents with a self-reported smoking status aged 18-64 in the R&M group. |
|-------------|--|
| Denominator | Weighted to improve representativeness. |
| | Respondents who are self-reported smokers in the R&M group. Weighted to improve |
| Numerator | representativeness |




| Indicator number | 2.22ii |
|---------------------------|---|
| Outcomes Framework | Public Health Outcomes Framework |
| Indicator full name | Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check |

Back to Priority 1 Back to HWB Dashboard

| Data source | Public Health England - www.healthcheck.nhs.uk | |
|-------------|--|--|
| | | |
| | | |
| | | |

Denominator Numerator

Number of people aged 40-74 eligible for an NHS Health Check in the five year period Number of people aged 40-74 eligible for an NHS Health Check who were offered an NHS Health Check in the five year period



| Period | Reading | Lower CI | Upper CI | Fourth less deprived (IMD2015) | England |
|-------------------|---------|----------|----------|--------------------------------|---------|
| 2013/14- 16/17 | 65.2 | 64.8 | 65.7 | 75.7 | 74.1 |
| 2013-2018 Q2 | 68.72 | | | | 82.54 |
| 2013-2018 Q3 | 70.33 | | | | 86.36 |
| 2013-2018 Q4 | 72.44 | | | | 90.91 |
| 2014-2019 Q1 | 50.08 | | | | 76.67 |
| 2014-2019 Q2 | 51.28 | | | | 81.05 |

| Indicator number | 2.22iii |
|---------------------------|---|
| Outcomes Framework | Public Health Outcomes Framework |
| Indicator full name | Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received a Health Check |

Back to Priority 1 Back to HWB Dashboard

Data source

| Denominator | Number of people aged 40-74 offered an NHS Health Check in the five year period |
|-------------|---|
| Numerator | Number of people aged 40-74 eligible for an NHS Health Check received an NHS Health Check in the five year period |

Public Health England - www.healthcheck.nhs.uk

| | Reading England | |
|--------|--|--|
| 50.5 | | |
| 50 - | | |
| 49.5 - | | |
| 49 - | | |
| 48.5 - | | |
| 48 - | | |
| 47.5 - | | |
| 47 - | | |
| 46.5 - | | |
| 46 - | | |
| 45.5 - | | |
| 45 | | |
| | 4-16/17 2013-2018 Q2 2013-2018 Q3 2013-2018 Q4 2014-2019 Q1 2014-2019 Q2 | |

| Period | Reading | Lower CI | Upper CI | Fourth less deprived (IMD2015) | England |
|---------------|---------|----------|----------|--------------------------------|---------|
| 2013/14-16/17 | 47 | 46.1 | 47.8 | 50.7 | 48.9 |
| 2013-2018 Q2 | 46.96 | | | | 48.39 |
| 2013-2018 Q3 | 47.08 | | | | 48.52 |
| 2013-2018 Q4 | 48.1 | | | | 48.71 |
| 2014-2019 Q1 | 48.93 | | | | 48.29 |
| 2014-2019 Q2 | 49.93 | | | | 48.05 |

| Indicator number | 2.22iii |
|---------------------------|---|
| Outcomes Framework | Public Health Outcomes Framework |
| Indicator full name | Cumulative percentage of the eligible population aged 40-74 who received a Health Check |

Back to Priority 1 Back to HWB Dashboard

Data source

| Denominator | |
|-------------|--|
| | Number of people aged 40-74 eligible for an NHS Health Check in the five year period |
| | Number of people aged 40-74 eligible for an NHS Health Check who received an NHS |

Public Health England - www.healthcheck.nhs.uk

| Numerator | Health Check in the five year period |
|-----------|---------------------------------------|
| | ricatar check in the rive year period |


| | Reading —— England |
|------|--|
| 50 | |
| 45 - | |
| 40 - | |
| 35 - | |
| 30 - | |
| 25 - | |
| 20 - | |
| 15 - | |
| 10 - | |
| 5 - | |
| 0 | 2013/14-16/17 2013-2018 Q2 2013-2018 Q3 2013-2018 Q4 2014-2019 Q1 2014-2019 Q2 |

| Period | Reading | Lower CI | Upper CI | Fourth less deprived (IMD2015) | England |
|---------------|---------|----------|----------|--------------------------------|---------|
| 2013/14-16/17 | 30.6 | 30.2 | 31.1 | 38.4 | 36.2 |
| 2013-2018 Q2 | 32.27 | | | | 39.94 |
| 2013-2018 Q3 | 33.11 | | | | 41.91 |
| 2013-2018 Q4 | 34.84 | | | | 44.28 |
| 2014-2019 Q1 | 24.5 | | | | 37.02 |
| 2014-2019 Q2 | 25.6 | | | | 38.94 |

| Indicator number | 1.18i/1I |
|---------------------|---|
| Outcomes Framework | Public Health Outcomes Framework/Adult Social Care Outcome Framework |
| Indicator full name | % of adult social care users who have as much social contact as they would like according to the Adult Social Care Users Survey |
| | |
| Back to Priority 2 | |

Back to Priority 2 Back to HWB Dashboard

| Data source | Adult Social Care Survey - England http://content.digital.nhs.uk/catalogue/PUB21630 - Annex Tables |
|-------------|--|
| Denominator | The number of people responding to the question "Thinking about how much contact you've had with people you like, which of the following statements best describes your social situation?" |
| Numerator | All survey respondents who responded to the question (adult social care users identified by LA) NHS Digital - Personal Social Services Adult Social Care Survey England |




| Period | Reading | Fourth less deprived (IMD2015) | England |
|---------|---------|--------------------------------|---------|
| 2010/11 | 41.4 | - | 41.9 |
| 2011/12 | 45.4 | - | 42.3 |
| 2012/13 | 43.9 | - | 43.2 |
| 2013/14 | 44.9 | - | 44.5 |
| 2014/15 | 41.5 | - | 44.8 |
| 2015/16 | 43.2 | - | 45.4 |
| 2016/17 | 45.2 | - | 45.4 |
| 2017/18 | 41.4 | | 46 |

| Indicator number Outcomes Framework | 1.18ii/1I Public Health Outcomes Framework/Adult Social Care Outcome Framework | | | | | | |
|--|--|--------------------|---------|----------|------|--------------------------------------|--------|
| Indicator full name | % of adult carers who have as much social contact as they would like according to the Adult Social Care Users Survey | Period | Reading | Lower CI | | Fourth less deprived (IMD2015) | Englan |
| Back to Priority 2 Back to HWB Dashboard | | 2012/13 2014/15 | | | 56.3 | } | |
| | | 2016/17 | 36.2 | 30.4 | 42.4 | 32.4 | |


41.3 38.5 35.5

| Data source C | arers Survey |
|---------------|--------------|
|---------------|--------------|

| Denominator | The number of people responding to the question "Thinking about how much contact you've had with people that you like, which of the following statements best describes your social situation?", with the answer "I have as much social contact as I want with people I like" divided by the total number of responses to the same question. |
|-------------|--|
| Numerator | All survey respondents who responded to the question (adult social care users identified by LA) NHS Digital - Personal Social Services Adult Social Care Survey England |



| Indicator number | NA | | | | |
|-----------------------|--|--------|---------|------------------------------|---------|
| Outcomes Framework | Children and Young People's Mental Health and Wellbeing | Period | Reading | IMD 4th less deprived decile | England |
| Indicator full name | Pupils with social, emotional and mental health needs (primary school age) | 2010 | 6 2% | 2' | % 2% |
| | | 201 | 7 2% | 29 | % 2% |
| Back to Priority 3 | | 201 | 3 2% | 29 | % 2% |
| Back to HWB Dashboard | | | | | |
| | | | | | |
| | | | | | |
| Data Source | DFE Special Needs Education Statistics | | | | |
| | | | | | |
| Denominator | Total pupils (LA tabulations) | | | | |



educational-needs-sen

Numerator

https://www.gov.uk/government/collections/statistics-special-

Number of pupils with statements of SEN where primary need is social,

| Indicator number | NA | | | | |
|-----------------------|--|--------|---------|------------------------------|---------|
| Outcomes Framework | Children and Young People's Mental Health and Wellbeing | Period | Reading | IMD 4th less deprived decile | England |
| Indicator full name | Pupils with social, emotional and mental health needs (secondary school age) | 2016 | 6 3% | 6 2º | % 2% |
| | | 2017 | 7 3% | 6 2° | % 2% |
| Back to Priority 3 | | 2018 | 8 3% | 6 2° | % 2% |
| Back to HWB Dashboard | | | | | |
| | | | | | |
| | | | | | |
| Data Source | DFE Special Needs Education Statistics | | | | |
| | | | | | |
| Denominator | Total pupils (LA tabulations) | | | | |
| | https://www.gov.uk/government/collections/statistics-special- | | | | |

| 5% - | Reading | IMD 4th less deprived decile | England | |
|------|---------|------------------------------|-------------|---|
| 4% - | | | | |
| 3% - | + | | | |
| 2% - | × | × | × • | |
| 1% - | | | | |
| 0% - | 2016 | 2017 | 2018 | _ |

Number of pupils with statements of SEN where primary need is social,


educational-needs-sen

emotional and mental health

Numerator

| Indicator number | NA | | | | |
|-----------------------|--|--------|---------|------------------------------|---------|
| Outcomes Framework | Children and Young People's Mental Health and Wellbeing | Period | Reading | IMD 4th less deprived decile | England |
| Indicator full name | Pupils with social, emotional and mental health needs (all school age) | 2015 | 5 3% | 2% | 2% |
| | | 2016 | 3% | 2% | 2% |
| Back to Priority 3 | | 2017 | 7 3% | 2% | 2% |
| Back to HWB Dashboard | | 2018 | 3% | 0.0224 | 0.024 |
| | | | | | |
| Data Source | DFE Special Needs Education Statistics | | | | |
| Denominator | Total pupils (LA tabulations) | | | | |






| Indicator number | 4.10 |
|---------------------------|---|
| Outcomes Framework | Public Health Outcomes Framework |
| Indicator full name | Age-standardised mortality rate from suicide and injury of undetermined intent per 100,000 population |
| | |

Back to Priority 4 Back to HWB Dashboard

| Data Source | Public Health England (based on ONS) |
|-------------|--|
| Denominator | ONS 2011 census based mid-year population estimates |
| Numerator | Number of deaths from suicide and injury from undetermined intent ICD10 codes X60-X84 (age 10+), Y10-34 (age 15+). |



| | | 4th less | |
|-----------|---------|----------------------|---------|
| Period | Reading | deprived IMD 2015 | England |
| 2001 - 03 | 11.5 | - | 10.3 |
| 2002 - 04 | 10.7 | - | 10.2 |
| 2003 - 05 | 10.4 | - | 10.1 |
| 2004 - 06 | 10 | - | 9.8 |
| 2005 - 07 | 9.6 | - | 9.4 |
| 2006 - 08 | 11.2 | - | 9.2 |
| 2007 - 09 | 10.9 | - | 9.3 |
| 2008 - 10 | 8.8 | - | 9.4 |
| 2009 - 11 | 7.4 | - | 9.5 |
| 2010 - 12 | 7.7 | - | 9.5 |
| 2011 - 13 | 9.3 | - | 9.8 |
| 2012 - 14 | 9.8 | - | 10 |
| 2013 - 15 | 11 | 10.5 | 10.1 |
| 2014 - 16 | 9.9 | 10.2 | 9.9 |
| 2015 - 17 | 8 | 9.6 | 9.6 |


| Indicator number | 2.15iii | | | | |
|-----------------------|---|--------|---------|------------------------------|---------|
| Outcomes Framework | Public Health Outcomes Framework | Period | Reading | IMD 4th less deprived decile | England |
| Indicator full name | Successful completion of alcohol treatment | 2010 | 29.30 | 34.30 | 31.40 |
| | | 2011 | 54.30 | 34.60 | 34.80 |
| Back to Priority 5 | | 2012 | 41.70 | 36.50 | 37.10 |
| Back to HWB Dashboard | | 2013 | 42.50 | 37.70 | 37.50 |
| | | 2014 | 36.00 | 36.20 | 38.40 |
| | | 2015 | 38.30 | 40.50 | 38.40 |
| Data Source | National Drug Treatment Monitoring System | 2016 | 44.70 | 38.20 | 38.70 |
| | | Q2 | 42.60 | | 39.00 |
| Denominator | Total number of adults in structured alcohol treatment in a one year period | Q3 | 42.50 | | 38.60 |
| | | Q4 | 37.80 | l . | 38.60 |
| Numerator | Adults that complete treatment for alcohol dependence who do not represent to treatment within six months | Q1 | 36.36 | 37.60 | 38.92 |
| | | Q2 | 35.80 | | 38.90 |



(NDTMS DOMES)

| Indicator number | 2.18 | | | | |
|-----------------------|---|---------|---------|---------------------------------|-----|
| Outcomes Framework | Public Health Outcomes Framework | | | | |
| Indicator full name | Admission episodes for alcohol-related conditions per 100,000 people | Period | Reading | IMD 4th less deprived decile | Er |
| | | 2008/09 | 42 | 4 : | 565 |
| Back to Priority 5 | | 2009/10 | 44 | 2 | 601 |
| Back to HWB Dashboard | | 2010/11 | 46 | 6 | 598 |
| | | 2011/12 | . 44 | 4 | 601 |
| | | 2012/13 | 51 | 1 | 585 |
| | | 2013/14 | 56 | 8 | 603 |
| Data Source | Health and Social Care information Centre - Hospital Episode Statistics. | 2014/15 | 54 | 1 | 597 |
| | Via Local Alcohol Profiles for England | 2015/16 | 5 59 | 9 | 612 |
| Denominator | Mid-Year Population Estimates (ONS) | 2016/17 | 60 | 2 | 602 |
| | | 2017/18 | 53 | 4 | 632 |
| Numerator | Admissions to hospital where primary diagnosis is an alcohol-related condition or a seconday diagnosis is an alcohol-related external cause. Uses attributable fractions to estimate. | | | | |

England



| Indicator number | 4.16 / 2.6i | |
|---|--|----|
| Outcomes Framework | Public Health Outcomes Framework / NHS Outcomes Framework | ı, |
| Indicator full name | Estimated diagnosis rate for people with dementia | |
| Back to Priority 6 | | |
| Back to HWB Dashboard | | - |
| Data Source | NHS Digital | |
| | Applying the reference rates to the registered population yields the number of | |
| Denominator | people aged 65+ one would expect to have dementia within the subject population where: | |
| Numerator | Registered population | ŀ |
| Numerator | ratients aged ob+ registered for General inedical Services, counts by b-year age and sex band from the National Health Application and Infrastructure Services (NHAIS / Exeter) system; extracted on the first day of each month following the reporting period end date of the numerator. | |
| | Deference veters compled demontic prevalence | |
| | Reference rates: sampled dementia prevalence Age 65+ age and sex-specific dementia prevalence rates. Source: MRC CFAS II. | |
| _ R | eading IMD 4th less deprived decile England | |
| 74 - | | - |
| 72 - | | |
| 70 - | *** | - |
| 68 - *** | | ŀ |
| 66 - | | |
| 64 - | | |
| 62 - | | |
| 60 | | |
| 31/18/1201 00/2011 1201 31/108/2011 00/12 | il ologi tragi, ragi, ragi, raga kanga kanga Kangan raga kanga ka | |

| | Period | Reading | IMD 4th less deprived decile | England |
|---------------------|------------|---------|---------------------------------|---------|
| | 42886 | 68.1 | 66.3 | 67.8 |
| | 42916 | 68.6 | 66.4 | 68 |
| | 42947 | 68.8 | 66.5 | 68 |
| | 42978 | 69.5 | 66.9 | 68.2 |
| | 43008 | 69.1 | 67.2 | 68.2 |
| | 43039 | 69.7 | 67.2 | 68.4 |
| ber of | 43069 | 68.7 | 67 | 68.7 |
| | 43100 | 68.7 | 67 | 68.3 |
| | 43131 | 68.3 | 66.8 | 67.9 |
| -year re onth | 43159 | 68.1 | 66.7 | 67.7 |
| | 43190 | 67.4 | 66.5 | 67.5 |
| | 43220 | 68 | 66.4 | 67.3 |
| ; | 43251 | 67.5 | 66.2 | 67.3 |
| | 43281 | 67.6 | 66.5 | 67.6 |
| | 43312 | 67.3 | 66.6 | 67.8 |
| | 43343 | 67.1 | 66.6 | 67.8 |
| | 43373 | 68.8 | 67.1 | 68.2 |
| | 43404 | 68.7 | 67 | 67.9 |
| | 43434 | 69.4 | 67.4 | 68.2 |
| | 31/12/2018 | 69.8 | 67.3 | 68 |
| | 31/01/2019 | 69.7 | 67.4 | 67.9 |
| | | | | |

| Indicator number | NA | | | |
|-----------------------|-------------------------|--------|----------------|-------------------|
| Outcomes Framework | NA | | | |
| Indicator full name | No. of Dementia Friends | Period | Actual 2018/19 | Target 2018/19 |
| | | Jan-19 | 857 | ' 800 |
| Back to Priority 6 | | Mar-19 | 1 | 2,500 |
| Back to HWB Dashboard | | Jun-19 | | 5,000 |
| | | Sep-19 | | 7500 |
| | | Jan-20 | | 10,000 |



| Indicator number | 2.20iii |
|--|--|
| Outcomes Framework | Public Health Outcomes Framework |
| Indicator full name | Cancer screening coverage - bowel cancer |
| Back to Priority 7 Back to HWB Dashboard | |
| Data Source | Health and Social Care Information Centre (Open Exeter)/Public Health England |
| Denominator | Number of people aged 60-74 resident in the area (determined by postcode of residence) who are eligible for bowel screening at a given point in time (excluding those with no functioning colon (e,g, after surgery) or have made an informed decision to opt out. |
| Numerator | Number of people aged 60-74 resident in the area (determined by postcode of residence) with a screening test result recorded in the previous 2% years |
| | Target is the NHS England minimum coverage standard https://www.england.nhs.uk/wp-content/uploads/2017/04/service-spec-26.pdf Reading ——Fourth less deprived ——England |
| 61 7 | Treading = Tourist Cos deprived = A Eligibility |


| Period | Reading | | urth less prived | England | |
|--------|---------|------|---------------------|---------|------|
| | 2015 | 55.3 | 58.4 | | 57.1 |
| | 2016 | 55.8 | 59.5 | | 57.9 |
| | 2017 | 56.5 | 60.6 | | 58.8 |

| Indicator number | 2.20i |
|---------------------------|---|
| Outcomes Framework | Public Health Outcomes Framework |
| Indicator full name | Cancer screening coverage - breast cancer |

| Back to Priority 7 |
|-----------------------|
| Back to HWB Dashboard |

| Data Source | Health and Social Care Information Centre (Open Exeter)/Public Health England |
|-------------|---|
| Denominator | Number of women aged 53-70 resident in the area (determined by postcode of residence) who are eligible for breast screening at a given point in time. |

| Numerator | Number of women aged 53-70 resident in the area (determined by postcode of residence) with a screening test result recorded in the previous three years |
|-----------|---|
| | Target is the NHS England minimum coverage standard https://www.england.nhs.uk/wp-content/uploads/2017/04/service-spec-24.pdf |




| Period | Reading | 4th less deprived IMD 2015 | England |
|--------|---------|----------------------------------|---------|
| 2010 | 73.6 | 78.6 | 76.9 |
| 2011 | 1 72.5 | 79.2 | 77.1 |
| 2012 | 2 73.6 | 79 | 76.9 |
| 2013 | 3 74.3 | 78.3 | 76.3 |
| 2014 | 4 73.3 | 78.1 | 75.9 |
| 2015 | 73.4 | 77.7 | 75.4 |
| 2016 | 73.4 | 77.8 | 75.5 |
| 2017 | 7 72.9 | 77.6 | 75.4 |

| Indicator number | 3.05ii |
|---------------------------|--------------------------------------|
| Outcomes Framework | Public Health Outcomes Framework |
| Indicator full name | Incidence of TB (three year average) |

Back to Priority 8
Back to HWB Dashboard

| Data Source | Enhanced Tuberculosis Surveillance system (ETS) and Office for National Statistics (ONS) |
|-------------|--|
| Denominator | Sum of the Office for National Statistics (ONS) mid-year population estimates for each year of the three year time period |
| Numerator | Sum of the number of new TB cases notified to the Enhanced Tuberculosis Surveillance system (ETS) over a three year time period |



| Period | Reading | 4th less deprived IMD 2015 | England |
|-----------|---------|----------------------------------|---------|
| 2000 - 02 | 2 23.1 | 7.4 | 12.7 |
| 2001 - 03 | 3 25.4 | 7.8 | 13.1 |
| 2002 - 04 | 26.4 | 8.2 | 13.5 |
| 2003 - 05 | 30.3 | 8.6 | 14.1 |
| 2004 - 06 | 31.1 | 8.9 | 14.7 |
| 2005 - 07 | 35.5 | 9.4 | 15 |
| 2006 - 08 | 35.4 | 9.7 | 15 |
| 2007 - 09 | 37.9 | 10 | 15.1 |
| 2008 - 10 | 38.4 | 9.8 | 15.1 |
| 2009 - 11 | 36.4 | 9.5 | 15.2 |
| 2010 - 12 | 2 33 | 9.5 | 15.1 |
| 2011 - 13 | 34.1 | 9.2 | 14.7 |
| 2012 - 14 | 36.3 | 8.8 | 13.5 |
| 2013 - 15 | 34.7 | 7.7 | 11.9 |
| 2014 - 16 | 3 26.4 | 7.1 | 10.9 |
| 2015-17 | 20.9 | 6.3 | 9.9 |

| Indicator | Expected date of update (PHOF Indicators) | Local/Quarterly data available? |
|--|---|--------------------------------------|
| 2.12 Excess weight in adults | November | No |
| 2.13i % of adults physically active | May | No |
| 2.06i % 4-5 year olds classified as overweight/obese | February | No |
| 2.06ii % 10-11 year olds classified as overweight/obese | February | No |
| 2.03 Smoking status at the time of delivery | November | No |
| 2.14 Smoking prevalence - all adults - current smokers | August | No |
| 2.14 Smoking prevalance - routine and manual - current smokers | August | No |
| 2.22iii Cumulative % of those aged 40-74 offered a healthcheck 2013/14 - 16/17 | NA | Updates are published quarterly |
| 2.22 iv Cumulative % of those offered a healthcheck who received a healthcheck 2013/14 - 16/17 | NA | Updates are published quarterly |
| 2.22 v Cumulative % of those aged 40-74 who received a healthcheck 2013/14 - 16/17 | NA | Updates are published quarterly |
| 1.18i/11 % of adult social care users with as much social contact as they would like | November | Local data but collected annually |
| 1.18ii/11 % of adult carers with as much social contact as they would like | November | Local data but collected bi-annually |
| Placeholder - Loneliness and Social Isolation | NA | |
| 2.15iii Successful treatment of alcohol treatment | NA | Updates are published quarterly |
| 2.18 Admission episodes for alcohol related conditions (DSR per 100,000) | May | No |
| % pupils with social, emotional and mental health needs (primary, secondary and all schools) | August | No |
| 4.16/2.6i Estimated diagnosis rate for people with dementia | August | Monthly |
| No. Dementia Friends (Local Indicator) | NA | Yes |
| Placeholder - ASCOF measure of post-diagnosis care | NA | |
| 2.20iii Cancer screening coverage - bowel cancer | February | No. |
| 2.20i Cancer screening coverage - breast cancer | February | No. |
| 3.05ii Incidence of TB (three year average) | November | No. |
| 4.10 Age-standardised mortality rate from suicide and injury of undetermined intent | November | No. |