

Priority	Indicator	Target Met/Not Met	Direction of Travel
<u>1. Supporting people to make healthy lifestyle choices</u>	2.12 Excess weight in adults	Met	Better
	2.13i % of adults physically active	Met	Better
	2.06i % 4-5 year olds classified as overweight/obese	Not Met	No change
	2.06ii % 10-11 year olds classified as overweight/obese	Met	No change
	2.03 Smoking status at the time of delivery	Met	Better
	2.14 Smoking prevalence - all adults - current smokers	Met	Better
	2.14 Smoking prevalence - routine and manual - current smokers	Met	Worse
	People invited for an NHS Healthcheck	Not Met	No change
	People taking up an NHS Healthcheck invite	Met	No change
	People receiving an NHS Healthcheck	Not Met	No change
<u>2. Reducing loneliness and social isolation</u>	1.18i/11 % of adult social care users with as much social contact as they would like	Met	Better
	1.18ii/11 % of adult carers with as much social contact as they would like	Not Met	Worse
	Placeholder - Loneliness and Social Isolation	NA	NA
<u>3.Promoting positive mental health and wellbeing in children and young people</u>	Pupils with social, emotional and mental health needs (primary school age)	Not Met	No change
	Pupils with social, emotional and mental health needs (secondary school age)	Met	Better
	Pupils with social, emotional and mental health needs (all school age)	Met	No change
<u>4. Reducing deaths by suicide</u>	4.10 Age-standardised mortality rate from suicide and injury of undetermined intent	Met	Better
<u>5.Reducing the amount of alcohol people drink to safer levels</u>	2.15iii Successful treatment of alcohol treatment	Met	Better
	2.18 Admission episodes for alcohol related conditions (DSR per 100,000)	Met	Better
<u>6.Living well with dementia</u>	4.16/2.6i Estimated diagnosis rate for people with dementia	Met	No change
	No. Dementia Friends (Local Indicator)	Not Met	No change
	Placeholder - ASCOF measure of post-diagnosis care	NA	NA
<u>7.Increasing take up of breast and bowel screening and prevention services</u>	2.20iii Cancer screening coverage - bowel cancer	Met	No change
	2.20i Cancer screening coverage - breast cancer	Met	No change
<u>8.Reducing the number of people with tuberculosis</u>	3.05ii Incidence of TB (three year average)	Met	Better

PRIORITY 1: Supporting people to make healthy lifestyle choices

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
2.12 Excess weight in adults	Public Health Outcomes Framework	Active People Survey	Annual	Low	2017-18	55.7	63.4	Met	Better	62.0	63.5
2.13i % of adults physically active	Public Health Outcomes Framework	Active Lives Survey	Annual	High	2017-18	68.8	64	Met	Better	66.3	67.0
2.06i % 4-5 year olds classified as overweight/obese	Public Health Outcomes Framework	National Child Measurement Programme	Annual	Low	2018-19	22.5	22.0	Not Met	Better	22.6	Not available
2.06ii % 10-11 year olds classified as overweight/obese	Public Health Outcomes Framework	National Child Measurement Programme	Annual	Low	2017-18	34.0	36	Met	Worse	34.3	Not available
2.03 Smoking status at the time of delivery	Public Health Outcomes Framework	Smoking Status At Time of Delivery (SSATOD)	Annual	Low	2018-19	5.6	8.0	Met	Better	10.6	Not available
2.14 Smoking prevalence all adults	Public Health Outcomes Framework	HSCIC Annual Population Survey	Annual	Low	2018	13.0	14.8	Met	Better	14.4	Not available
2.14 Smoking prevalence - routine and manual - current smokers	Public Health Outcomes Framework	Annual Population Survey	Annual	Low	2018	28.3	28.9	Met	Worse	25.4	Not available
People invited for an NHS Healthcheck	NHS Healthcheck - Fingertips dashboard	https://fingertips.phe.org	Quarterly	High	2015/16-2019/20, Q2	40.8%	90%	Not Met	No change	79.8%	81.5%
People taking up an NHS Healthcheck	NHS Healthcheck - Fingertips dashboard	https://fingertips.phe.org	Quarterly	High	2018/19	51%	50%	Met	No change	45.9%	47.3%
People receiving an NHS Healthcheck	NHS Healthcheck - Fingertips dashboard	https://fingertips.phe.org	Quarterly	High	2015/16-2019/20, Q2	21%	43%	Not Met	No change	37.6%	39.5%

[Back to HWB Dashboard](#)

PRIORITY 2: Reducing Loneliness and Social Isolation

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
1.18i/11 % of adult social care users with as much social contact as they would like	Public Health Outcomes Framework/Adult Social Care Outcomes Framework	Adult Social Care Survey - Annual England		High	2018-19	47.1	45.4	Met	Better	45.9	NA
1.18ii/11 % of adult carers with as much social contact as they would like	Public Health Outcomes Framework/Adult Social Care Outcomes Framework	Carers Survey	Bi-Annual	High	2016-17	32.0	38.5	Not Met	Worse	32.5	
<i>Placeholder - Loneliness and Social Isolation</i>	NA	TBC	Annual							NA	NA

[Back to HWB Dashboard](#)

Priority 3: Promoting positive mental health and wellbeing in children and young people

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
Pupils with social, emotional and mental health needs (primary school age)	Children and Young People's Mental Health and Wellbeing	DFE Special Needs Education Statistics	Annual	Low	2018	2.4%	2.3%	Not Met	No change	2.2%	2.0%
Pupils with social, emotional and mental health needs (secondary school age)	Children and Young People's Mental Health and Wellbeing	DFE Special Needs Education Statistics	Annual	Low	2018	3.2%	3.3%	Met	Better	2.3%	2.1%
Pupils with social, emotional and mental health needs (all school age)	Children and Young People's Mental Health and Wellbeing	DFE Special Needs Education Statistics	Annual	Low	2018	3.0%	3.0%	Met	No change	2.4%	2.2%

[Back to HWB Dashboard](#)

Priority 4: Reducing deaths by suicide

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
4.10 Age-standardised mortality rate from suicide and injury of undetermined intent	Public Health Outcomes Framework	Public Health England (based on ONS)	Annual	Low	2016-18	7.2	8.25	Met	Better	9.6	Not available

[Back to HWB Dashboard](#)

PRIORITY 5: Reducing the amount of alcohol people drink to safer levels

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
2.15iii Successful treatment of alcohol treatment	Public Health Outcomes Framework	National Drug Treatment Monitoring System	Quarterly	High	Q4 2018-19	44.3%	38.3%	Met	Better	37.8%	Not available
2.18 Admission episodes for alcohol related conditions (DSR per 100,000)	Public Health Outcomes Framework	Local Alcohol Profiles for England (based on HSCIC HES)	Annual	Low	2017-18	534	599	Met	Better	632	600

[Back to HWB Dashboard](#)

Priority 6: Living well with dementia

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
4.16/2.6i Estimated diagnosis rate for people with dementia	Public Health Outcomes Framework/NHS Outcomes Framework	NHS Digital	Monthly	High	Jul-19	69.7	67.7	Met	Better	68.4	68.9
No. of Dementia friends	NA (Local only)	Local Report	Quarterly	High	Sep-19	8548	10000	Not Met	No change	Not available	Not available

PLACEHOLDER - Post diagnosis care

[Back to HWB Dashboard](#)

Priority 7: Increasing take up of breast and bowel screening and prevention services

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
2.20iii Cancer screening coverage - bowel cancer	Public Health Outcomes Framework	Health and Social Care Information Centre (HSCIC)	Annual	High	2018	56%	52%	Met	No change	59%	61%
2.20i Cancer screening coverage - breast cancer	Public Health Outcomes Framework	Health and Social Care Information Centre (HSCIC)	Annual	High	2018	71%	70%	Met	No change	75%	77%

[Back to HWB Dashboard](#)

Priority 8: Reducing the number of people with tuberculosis

Indicator Title	Framework	Source	Frequency updated	Good performance low/high	Most recent reporting period	Most recent performance	Target	Met/Not Met	DOT	England Average	2015 Deprivation Decile Average
3.05ii Incidence of TB (three year average)	Public Health Outcomes Framework	Public Health England.	Annual	Low	2016-18	17.8	30	Met	Better	9.2	6.0

[Back to HWB Dashboard](#)

Indicator number 2.12

Outcomes Framework Public Health Outcomes Framework

Indicator full name Excess weight in adults

[Back to Priority 1](#)

[Back to HWB Dashboard](#)


Data source Active Lives Survey (previously Active People Survey) Sport England

* Note change in methodology in 2015-16

Denominator Number of adults with valid height and weight recorded. Active lives Survey. Historical (before 2015-16) Number of adults with valid height and weight recorded. Data are from APS year 1, quarter 2 to APS year 3, quarter 1

Numerator Number of adults with a BMI classified as overweight (including obese), calculated from the adjusted height and weight variables. Active Lives Survey. Previously (before 2015-16) from Active People survey. Adults are defined as overweight (including obese) if their body mass index (BMI) is greater than or equal to 25kg/m2.

Period	Reading	Fourth less deprived (IMD2015)	England
2012-14	61		64.6
2013-15	63.4	65.4	64.8
2015-16	55.3	61.7	61.3
2016-17	59.2	61.8	61.3
2017-18	55.7	63.5	62



Indicator number	2.13
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	% Physically Active Adults

[Back to Priority 1](#)
[Back to HWB Dashboard](#)


Data source	Until 2015 - Active People Survey, Sport England 2015-16 onwards - Active Lives, Sport England
--------------------	---

* Note change in methodology in 2015-16

Denominator	Weighted number of respondents aged 19 and older with valid responses to questions on physical activity
--------------------	---

Numerator	Weighted number of respondents aged 19 and over, with valid responses to questions on physical activity, doing at least 150 MIE minutes physical activity per week in bouts of 10 minutes or more in the previous 28 days.
------------------	--

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2012	59.7	55.3	64.2		56
2013	56.6	52.3	60.8		56
2014	54.7	50.4	58.9		57
2015	59.3	55	63.6	58.5	57
2015-16*	64.8	61.7	67.7	66.4	66.1
2016-17	68.7	65.8	71.5	67.2	66
2017-18	68.8	64.5	72.7	67	66.3



Indicator number	2.06i
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Child excess weight in 4-5 year olds


[Back to Priority 1](#)
[Back to HWB Dashboard](#)

Data source National Child Measurement Programme

Denominator Number of children in Reception (aged 4-5 years) measured in the National Child Measurement Programme (NCMP) attending participating state maintained schools in England.

Numerator Number of children in Reception (aged 4-5 years) classified as overweight or obese in the academic year. Children are classified as overweight (including obese) if their BMI is on or above the 85th centile of the British 1990 growth reference (UK90) according to age and sex.

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2007/08	20.6	18.5	22.9	20.7	22.6
2008/09	22.5	20.5	24.6	21.6	22.8
2009/10	25.7	23.7	27.9	22.8	23.1
2010/11	25.7	23.7	27.8	22.2	22.6
2011/12	24.1	22.1	26.1	22	22.6
2012/13	21.8	20	23.9	21.6	22.2
2013/14	23.3	21.3	25.5	21.4	22.5
2014/15	22.6	20.9	24.5	21.3	21.9
2015/16	21.8	20.1	23.6		22
2016/17	22.9	21.1	24.7	22.6	22.6
2017/18	22.3	20.6	24.1		22.4
2018/19	22.5				22.6



Indicator number	2.06i
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Child excess weight in 10-11 year olds


[Back to Priority 1](#)
[Back to HWB Dashboard](#)

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2007/08	33.6	31	36.2	30.8	32.6
2008/09	33.1	30	35.7	31.3	32.6
2009/10	36.2	33.6	38.8	32.5	33.4
2010/11	34.4	32	36.9	32.7	33.4
2011/12	35.4	32.9	37.9	32.6	33.9
2012/13	34	31.6	36.5	32	33.3
2013/14	34	32.2	37.1	32.1	33.5
2014/15	35.6	33.2	38	32	33.2
2015/16	37.4	35.1	39.7	-	34.2
2016/17	32.9	30.7	35.2	32.6	34.2
2017/18	34.3	32.1	36.6		34.3
2018/19	34				34.3

Data source National Child Measurement Programme

Denominator Number of children in Year 6 (aged 10-11 years) measured in the National Child Measurement Programme (NCMP) attending participating state maintained schools in England.

Numerator Number of children in Year 6 (aged 10-11 years) classified as overweight or obese in the academic year. Children are classified as overweight (including obese) if their BMI is on or above the 85th centile of the British 1990 growth reference (UK90) according to age and sex.




Indicator number	2.03
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	% of women who smoke at the time of delivery

[Back to Priority 1](#)
[Back to HWB Dashboard](#)

Data source	Calculated by KIT East from the Health and Social Care Information Centre's return on Smoking Status At Time of delivery (SSATOD)
Denominator	Number of maternities (estimated based on counts for CCGs)
Numerator	Number of women known to smoke at time of delivery (estimated based on counts for CCGs)

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2010/11	7.2	6.1	8.2	14.4	13.5
2011/12	8.4	7.4	9.6	13.8	13.2
2012/13	7.4	6.3	8.2	13.2	12.7
2013/14	8.5	7.4	9.6	13	12
2014/15	7.4	6.4	8.5	12	11.4
2015/16	8	7	9.1	11.9	10.6
2016/17	6.8	5.9	7.9	12	10.7
2017/18	6.3	5.4	7.4	12	10.8
2018/19	5.6	4.7	6.6		10.6



Indicator number	2.14
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Smoking Prevalence in Adults - Current Smokers


[Back to Priority 1](#)
[Back to HWB Dashboard](#)

Data source	Annual Population Survey
-------------	--------------------------

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2012	20.6	18.4	22.8	18.7	19.3
2013	20.4	18.2	22.6	17.7	18.4
2014	18.7	16.7	20.7	17.9	17.8
2015	17.6	15.5	19.8	16.7	16.9
2016	15.8	13.5	18.1	13.8	15.5
2017	13.6	10.9	16.3	13.2	14.9
2018	13	10.2	15.8		14.4

Denominator Total number of respondents (with valid recorded smoking status) aged 18+ from the Annual Population Survey. The number of respondents has been weighted in order to improve representativeness of the sample. The weights take into account survey design and non-response.

Numerator The number of persons aged 18 + who are self-reported smokers in the Annual Population Survey. The number of respondents has been weighted in order to improve representativeness of the sample. The weights take into account survey design and non-response.



Indicator number	NA
Outcomes Framework	Local Tobacco Control Profiles
Indicator full name	Smoking prevalence in routine and manual occupations - Current smokers


[Back to Priority 1](#)
[Back to HWB Dashboard](#)

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2012	32.1	26.4	37.8		31.1
2013	36.1	30.1	42.1		30.1
2014	26.6	21.2	32		29.6
2015	26.7	20.6	32.7		28.1
2016	30.4	23	37.9	26	26.5
2017	27.6	19.4	35.8	23.7	25.7
2018	28.3	19.1	37.5		25.4

Data source Annual Population Survey

Denominator Total respondents with a self-reported smoking status aged 18-64 in the R&M group. Weighted to improve representativeness.

Numerator Respondents who are self-reported smokers in the R&M group. Weighted to improve representativeness



Indicator number


Outcomes Framework

Indicator full name **People invited for an NHS Healthcheck**

[Back to Priority 1](#)
[Back to HWB Dashboard](#)

Data source PHE Fingertips - NHS Healthchecks

Denominator Number of people aged 40-74 eligible for an NHS Health Check in the financial year.
 Numerator Number of people aged 40-74 eligible for an NHS Health Check who were offered an NHS Health Check up to the current quarter from quarter 1 2015




Period	Reading	Fourth less deprived	England	Target
2015/16 Q1	3.80	5.30	4.90	5.00
2015/16 Q1 - 2015/16 Q2	6.22	10.39	9.89	10.00
2015/16 Q1 - 2015/16 Q3	8.22	14.38	14.08	15.00
2015/16 Q1 - 2015/16 Q4	12.20	18.76	18.70	20.00
2015/16 Q1 - 2016/17 Q1	18.07	23.87	23.15	25.00
2015/16 Q1 - 2016/17 Q2	20.93	29.11	27.50	30.00
2015/16 Q1 - 2016/17 Q3	22.99	32.82	31.17	35.00
2015/16 Q1 - 2016/17 Q4	24.30	36.98	35.43	40.00
2015/16 Q1 - 2017/18 Q1	26.73	42.28	39.83	45.00
2015/16 Q1 - 2017/18 Q2	29.14	47.18	44.21	50.00
2015/16 Q1 - 2017/18 Q3	30.81	50.82	47.99	55.00
2015/16 Q1 - 2017/18 Q4	32.27	54.57	52.53	60.00
2015/16 Q1 - 2018/19 Q1	34.00	58.74	56.91	65.00
2015/16 Q1 - 2018/19 Q2	35.12	63.26	61.31	70.00
2015/16 Q1 - 2018/19 Q3	35.90	67.03	65.29	75.00
2015/16 Q1 - 2018/19 Q4	37.17	71.56	70.02	80.00
2015/16 Q1 - 2019/20 Q1	38.30	76.43	74.87	85.00
2015/16 Q1 - 2019/20 Q2	40.80	81.50	79.80	90.00
2015/16 Q1 - 2019/20 Q3				95.00
2015/16 Q1 - 2019/20 Q4				100.00

Indicator number	
Outcomes Framework	
Indicator full name	People taking up an NHS Healthcheck

[Back to Priority 1](#)
[Back to HWB Dashboard](#)

Data source PHE Fingertips - NHS Healthchecks

Denominator Number of people aged 40-74 eligible for an NHS Health Check who were offered an NHS Health Check up to the current quarter from quarter 1 2013
Numerator Number of people aged 40-74 eligible for an NHS Health Check who received an NHS Health Check up to the current quarter from quarter 1 2015.




Period	Reading	Fourth less deprived (IMD2015)	England
2015/16 Q1 - 2015/16 Q2	45.21	43.61	45.01
2015/16 Q1 - 2015/16 Q3	51.09	47.13	46.38
2015/16 Q1 - 2015/16 Q4	43.98	49.38	47.90
2015/16 Q1 - 2016/17 Q1	38.10	48.24	47.35
2015/16 Q1 - 2016/17 Q2	39.64	47.57	47.31
2015/16 Q1 - 2016/17 Q3	40.72	48.86	48.01
2015/16 Q1 - 2016/17 Q4	42.31	50.25	48.85
2015/16 Q1 - 2017/18 Q1	43.48	48.64	48.24
2015/16 Q1 - 2017/18 Q2	43.42	48.61	48.04
2015/16 Q1 - 2017/18 Q3	44.05	49.15	48.29
2015/16 Q1 - 2017/18 Q4	45.93	49.64	48.55
2015/16 Q1 - 2018/19 Q1	47.14	49.17	48.11
2015/16 Q1 - 2018/19 Q2	48.53	48.72	47.80
2015/16 Q1 - 2018/19 Q3	48.84	48.99	47.81
2015/16 Q1 - 2018/19 Q4	49.70	49.10	47.90
2015/16 Q1 - 2019/20 Q1	50.76	48.73	47.45
2015/16 Q1 - 2018/19 Q2	51.80	48.40	47.10

Indicator number	
Outcomes Framework	
Indicator full name	People receiving an NHS Healthcheck

[Back to Priority 1](#)
[Back to HWB Dashboard](#)

Data source PHE Fingertips - NHS Healthchecks

Denominator Number of people aged 40-74 eligible for an NHS Health Check up to the current quarter from quarter 1 2013
Numerator Number of people aged 40-74 eligible for an NHS Health Check who received an NHS Health Check up to the current quarter from quarter 1 2015.



Period	Reading	Fourth less deprived (IMD2015)	England	TARGET
2015/16 Q1	1.50	2.10	2.20	2.00
2015/16 Q1 - 2015/16 Q2	2.81	4.53	4.45	2.50
2015/16 Q1 - 2015/16 Q3	4.20	6.77	6.53	5.00
2015/16 Q1 - 2015/16 Q4	5.37	9.26	8.96	7.50
2015/16 Q1 - 2016/17 Q1	6.89	11.52	10.96	10.00
2015/16 Q1 - 2016/17 Q2	8.30	13.85	13.01	12.50
2015/16 Q1 - 2016/17 Q3	9.36	16.04	14.96	15.00
2015/16 Q1 - 2016/17 Q4	10.28	18.58	17.31	17.50
2015/16 Q1 - 2017/18 Q1	11.62	20.57	19.21	20.00
2015/16 Q1 - 2017/18 Q2	12.65	22.93	21.24	22.50
2015/16 Q1 - 2017/18 Q3	13.57	24.98	23.18	25.00
2015/16 Q1 - 2017/18 Q4	14.82	27.09	25.50	27.50
2015/16 Q1 - 2018/19 Q1	16.03	28.88	27.38	30.00
2015/16 Q1 - 2018/19 Q2	17.04	30.82	29.31	32.50
2015/16 Q1 - 2018/19 Q3	17.53	32.84	31.21	35.00
2015/16 Q1 - 2018/19 Q4	18.47	35.14	33.54	37.50
2015/16 Q1 - 2019/20 Q1	19.60	37.24	35.60	40.00
2015/16 Q1 - 2019/20 Q2	21.10	39.50	37.60	42.50
2015/16 Q1 - 2019/20 Q3				45.00
2015/16 Q1 - 2019/20 Q4				50.00


Indicator number	1.18i/11
Outcomes Framework	Public Health Outcomes Framework/Adult Social Care Outcome Framework
Indicator full name	% of adult social care users who have as much social contact as they would like according to the Adult Social Care Users Survey

[Back to Priority 2](#)
[Back to HWB Dashboard](#)

Data source	Adult Social Care Survey - England http://content.digital.nhs.uk/catalogue/PUB21630 - Annex Tables
--------------------	---

Denominator The number of people responding to the question "Thinking about how much contact you've had with people you like, which of the following statements best describes your social situation?"

Numerator All survey respondents who responded to the question (adult social care users identified by LA) NHS Digital - Personal Social Services Adult Social Care Survey England



Period	Reading	Fourth less deprived (IMD2015)	England
2010/11	41.4	-	41.9
2011/12	45.4	-	42.3
2012/13	43.9	-	43.2
2013/14	44.9	-	44.5
2014/15	41.5	-	44.8
2015/16	43.2	-	45.4
2016/17	45.2	-	45.4
2017/18	41.4	-	46

Indicator number	1.18ii/11
Outcomes Framework	Public Health Outcomes Framework/Adult Social Care Outcome Framework
Indicator full name	% of adult carers who have as much social contact as they would like according to the Adult Social Care Users Survey


[Back to Priority 2](#)
[Back to HWB Dashboard](#)

Period	Reading	Lower CI	Upper CI	Fourth less deprived (IMD2015)	England
2012/13	52.2	48.1	56.3		41.3
2014/15	36.6	31.8	41.4		38.5
2016/17	36.2	30.4	42.4	32.4	35.5
2018/19	32				32.5

Data source Carers Survey

Denominator The number of people responding to the question "Thinking about how much contact you've had with people that you like, which of the following statements best describes your social situation?", with the answer "I have as much social contact as I want with people I like" divided by the total number of responses to the same question.

Numerator All survey respondents who responded to the question (adult social care users identified by LA) NHS Digital - Personal Social Services Adult Social Care Survey England




Indicator number	NA
Outcomes Framework	Children and Young People's Mental Health and Wellbeing
Indicator full name	Pupils with social, emotional and mental health needs (primary school age)

[Back to Priority 3](#)
[Back to HWB Dashboard](#)


Data Source	DFE Special Needs Education Statistics
Denominator	Total pupils (LA tabulations) https://www.gov.uk/government/collections/statistics-special-educational-needs-sen
Numerator	Number of pupils with statements of SEN where primary need is social, emotional and mental health

Period	Reading	IMD 4th less deprived decile	England
2016	2%	2%	2%
2017	2%	2%	2%
2018	2%	2%	2%



Indicator number	NA
Outcomes Framework	Children and Young People's Mental Health and Wellbeing
Indicator full name	Pupils with social, emotional and mental health needs (secondary school age)
Back to Priority 3 Back to HWB Dashboard	
Data Source	DFE Special Needs Education Statistics
Denominator	Total pupils (LA tabulations) https://www.gov.uk/government/collections/statistics-special-educational-needs-sen
Numerator	Number of pupils with statements of SEN where primary need is social, emotional and mental health

Period	Reading	IMD 4th less deprived decile	England
2016	3%	2%	2%
2017	3%	2%	2%
2018	3%	2%	2%



Indicator number	NA
Outcomes Framework	Children and Young People's Mental Health and Wellbeing
Indicator full name	Pupils with social, emotional and mental health needs (all school age)


[Back to Priority 3](#)
[Back to HWB Dashboard](#)

Data Source DFE Special Needs Education Statistics

Denominator Total pupils (LA tabulations)

Numerator Number of pupils with statements of SEN where primary need is social, emotional and mental health
<https://www.gov.uk/government/collections/statistics-special-educational-needs-sen>

Period	Reading	IMD 4th less deprived decile	England
2015	3%	2%	2%
2016	3%	2%	2%
2017	3%	2%	2%
2018	3%	0.0224	0.024



Indicator number	4.10
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Age-standardised mortality rate from suicide and injury of undetermined intent per 100,000 population

[Back to Priority 4](#)
[Back to HWB Dashboard](#)

Data Source Public Health England (based on ONS)

Denominator ONS 2011 census based mid-year population estimates


Numerator Number of deaths from suicide and injury from undetermined intent ICD10 codes X60-X84 (age 10+), Y10-34 (age 15+).

Period	Reading	4th less deprived IMD 2015	England
2001 - 03	11.5	-	10.3
2002 - 04	10.7	-	10.2
2003 - 05	10.4	-	10.1
2004 - 06	10	-	9.8
2005 - 07	9.6	-	9.4
2006 - 08	11.2	-	9.2
2007 - 09	10.9	-	9.3
2008 - 10	8.8	-	9.4
2009 - 11	7.4	-	9.5
2010 - 12	7.7	-	9.5
2011 - 13	9.3	-	9.8
2012 - 14	9.8	-	10
2013 - 15	11	10.5	10.1
2014 - 16	9.9	10.2	9.9
2015 - 17	8	9.6	9.6
2016 - 18	7.2		9.6



Indicator number	2.15iii
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Successful completion of alcohol treatment
Back to Priority 5 Back to HWB Dashboard	
Data Source	National Drug Treatment Monitoring System
Denominator	Total number of adults in structured alcohol treatment in a one year period
Numerator	Adults that complete treatment for alcohol dependence who do not re-present to treatment within six months

Period	Reading	IMD 4th less deprived decile	England
2010	29.30	34.30	31.40
2011	54.30	34.60	34.80
2012	41.70	36.50	37.10
2013	42.50	37.70	37.50
2014	36.00	36.20	38.40
2015	38.30	40.50	38.40
2016	44.70	38.20	38.70
Q2	42.60		39.00
Q3	42.50		38.60
Q4	37.80		38.60
2018 Q1	36.36	37.60	38.92
2018 Q2	35.80		38.90
2018 Q3	36.40		38.50
2018 Q4	44.30		37.80
2019 Q1	45.00		37.80



(NDTMS DOMES)

Indicator number	2.18
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Admission episodes for alcohol-related conditions per 100,000 people


[Back to Priority 5](#)
[Back to HWB Dashboard](#)

Data Source Health and Social Care information Centre - Hospital Episode Statistics.
 Via Local Alcohol Profiles for England

Denominator Mid-Year Population Estimates (ONS)

Numerator Admissions to hospital where primary diagnosis is an alcohol-related condition or a secondary diagnosis is an alcohol-related external cause. Uses attributable fractions to estimate.

Period	Reading	IMD 4th less deprived decile	England
2008/09	424	565	606
2009/10	442	601	629
2010/11	466	598	643
2011/12	444	601	645
2012/13	511	585	630
2013/14	568	603	640
2014/15	541	597	635
2015/16	599	612	647
2016/17	602	602	636
2017/18	534	632	600



Indicator number	4.16 / 2.6i
Outcomes Framework	Public Health Outcomes Framework / NHS Outcomes Framework
Indicator full name	Estimated diagnosis rate for people with dementia


[Back to Priority 6](#)
[Back to HWB Dashboard](#)

Data Source NHS Digital

Denominator Applying the reference rates to the registered population yields the number of people aged 65+ one would expect to have dementia within the subject population where:

Numerator **Registered population**
 Patients aged 65+ registered for General Medical Services, counts by 5-year age and sex band from the National Health Application and Infrastructure Services (NHAIS / Exeter) system; extracted on the first day of each month following the reporting period end date of the numerator.

Reference rates: sampled dementia prevalence
 Age 65+ age and sex-specific dementia prevalence rates. Source: MRC CFAS II.




Period	Reading	IMD 4th less deprived decile	England
42886	68.1	66.3	67.8
42916	68.6	66.4	68
42947	68.8	66.5	68
42978	69.5	66.9	68.2
43008	69.1	67.2	68.2
43039	69.7	67.2	68.4
30/11/2017	68.7	67	68.7
31/12/2017	68.7	67	68.3
31/01/2018	68.3	66.8	67.9
28/02/2018	68.1	66.7	67.7
31/03/2018	67.4	66.5	67.5
30/04/2018	68	66.4	67.3
31/05/2018	67.5	66.2	67.3
30/06/2018	67.6	66.5	67.6
31/07/2018	67.3	66.6	67.8
31/08/2018	67.1	66.6	67.8
30/09/2018	68.8	67.1	68.2
31/10/2018	68.7	67	67.9
30/11/2018	69.4	67.4	68.2
31/12/2018	69.8	67.3	68
31/01/2019	69.7	67.4	67.9
28/02/2019	70.1	67.4	67.9
31/03/2019	71.1	68.3	68.7
30/04/2019	70.9	67.8	68.4
31/05/2019	70.7	69.1	68.6
30/06/2019	70.7	69.3	68.7
31/07/2019	71.2	69.4	69
31/08/2019	70.9	69.8	69.1
30/09/2019	70.5	69.6	69.1
31/10/2019	69.7	68.9	68.4

Indicator number	NA
Outcomes Framework	NA
Indicator full name	No. of Dementia Friends

[Back to Priority 6](#)
[Back to HWB Dashboard](#)

Data Source Locally Recorded

Definition No. of people who have completed a 45 minute training session and agreed to be a dementia friend



Period	Actual 2019/20	Target 2019/20
Jan-19	857	800
Jun-19	7,859	5,000
Sep-19	8,182	7,500
Jan-20	8,548	10,000

Indicator number	2.20iii
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Cancer screening coverage - bowel cancer

[Back to Priority 7](#)
[Back to HWB Dashboard](#)


Period	Reading	Fourth less deprived	England
2015	55.3	58.4	57.1
2016	55.8	59.5	57.9
2017	56.5	60.6	58.8

Data Source Health and Social Care Information Centre (Open Exeter)/Public Health England

Denominator Number of people aged 60-74 resident in the area (determined by postcode of residence) who are eligible for bowel screening at a given point in time (excluding those with no functioning colon (e.g, after surgery) or have made an informed decision to opt out.

Numerator Number of people aged 60-74 resident in the area (determined by postcode of residence) with a screening test result recorded in the previous 2½ years

Target is the NHS England minimum coverage standard
<https://www.england.nhs.uk/wp-content/uploads/2017/04/service-spec-26.pdf>



Indicator number	2.20i
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Cancer screening coverage - breast cancer

[Back to Priority 7](#)
[Back to HWB Dashboard](#)


Data Source Health and Social Care Information Centre (Open Exeter)/Public Health England

Denominator Number of women aged 53-70 resident in the area (determined by postcode of residence) who are eligible for breast screening at a given point in time.

Numerator Number of women aged 53-70 resident in the area (determined by postcode of residence) with a screening test result recorded in the previous three years

 Target is the NHS England minimum coverage standard <https://www.england.nhs.uk/wp-content/uploads/2017/04/service-spec-24.pdf>

Period	Reading	4th less deprived IMD 2015	England
2010	73.6	78.6	76.9
2011	72.5	79.2	77.1
2012	73.6	79	76.9
2013	74.3	78.3	76.3
2014	73.3	78.1	75.9
2015	73.4	77.7	75.4
2016	73.4	77.8	75.5
2017	72.9	77.6	75.4



Indicator number	3.05ii
Outcomes Framework	Public Health Outcomes Framework
Indicator full name	Incidence of TB (three year average)


[Back to Priority 8](#)
[Back to HWB Dashboard](#)

Data Source Enhanced Tuberculosis Surveillance system (ETS) and Office for National Statistics (ONS)

Denominator Sum of the Office for National Statistics (ONS) mid-year population estimates for each year of the three year time period

Numerator Sum of the number of new TB cases notified to the Enhanced Tuberculosis Surveillance system (ETS) over a three year time period

Period	Reading	4th less deprived IMD 2015	England
2000 - 02	23.1	7.4	12.7
2001 - 03	25.4	7.8	13.1
2002 - 04	26.4	8.2	13.5
2003 - 05	30.3	8.6	14.1
2004 - 06	31.1	8.9	14.7
2005 - 07	35.5	9.4	15
2006 - 08	35.4	9.7	15
2007 - 09	37.9	10	15.1
2008 - 10	38.4	9.8	15.1
2009 - 11	36.4	9.5	15.2
2010 - 12	33	9.5	15.1
2011 - 13	34.1	9.2	14.7
2012 - 14	36.3	8.8	13.5
2013 - 15	34.7	7.7	11.9
2014 - 16	26.4	7.1	10.9
2015-17	20.9	6.3	9.9
2016-17	17.8	6	9.2



Indicator	Expected date of update (PHOF Indicators)	Local/Quarterly data available?
	November	
2.03 Smoking status at the time of delivery	November	No
1.18i/11 % of adult social care users with as much social contact as they would like	November	Local data but collected annually
1.18ii/11 % of adult carers with as much social contact as they would like	November	Local data but collected bi-annually
3.05ii Incidence of TB (three year average)	November	No.
4.10 Age-standardised mortality rate from suicide and injury of undetermined intent	November	No.